





15 TREDOUX STREET, BEACONVALE  
PH: 021 5921365  
E MAIL: [sales@capewelding.co.za](mailto:sales@capewelding.co.za)

May 2026

| Code             | Description                                   | Quantity                | Picture                                                                               | Rec Retail Price<br>(exc VAT) |
|------------------|-----------------------------------------------|-------------------------|---------------------------------------------------------------------------------------|-------------------------------|
| Welding Machines |                                               |                         |                                                                                       |                               |
| MMA Inverters    |                                               |                         |                                                                                       |                               |
| TA-ARC120MINI    | TAURUS MMA INVERTER 120A-220V                 | EACH                    |  | 1,279.00                      |
|                  | POWER SUPPLY VOLTAGE V:                       | 1PH/220V ± 25%          |                                                                                       |                               |
|                  | DUTY CYCLE 40°C 10 MIN:                       | 35% 120A                |                                                                                       |                               |
|                  | OPEN CIRCUIT VOLTAGE                          | 56V                     |                                                                                       |                               |
|                  | NET WEIGHT AND DIMENSIONS:                    | 2.9 Kg                  |                                                                                       |                               |
|                  | ELECTRODE DIAMETERS:                          | 2.0 - 3.2mm             |                                                                                       |                               |
|                  | WELDING CURRENT RANGE                         | 20A- 120A               |                                                                                       |                               |
|                  | INCLUDES:                                     | EARTH CABLE SET         |                                                                                       |                               |
| TA-ARC160        | TAURUS MMA INVERTER 160A-220V                 | EACH                    |  | 1,565.00                      |
|                  | POWER SUPPLY VOLTAGE V:                       | 1PH/220V ± 25%          |                                                                                       |                               |
|                  | DUTY CYCLE 40°C 10 MIN:                       | 35% 160A                |                                                                                       |                               |
|                  | OPEN CIRCUIT VOLTAGE                          | 56V                     |                                                                                       |                               |
|                  | NET WEIGHT AND DIMENSIONS:                    | 465 X 270 X 330 5.5kg   |                                                                                       |                               |
|                  | ELECTRODE DIAMETERS:                          | 2.0 - 4.0mm             |                                                                                       |                               |
|                  | WELDING CURRENT RANGE                         | 20A- 160A               |                                                                                       |                               |
|                  | INCLUDES:                                     | EARTH CABLE SET         |                                                                                       |                               |
| TA-ARC200        | TAURUS MMA INVERTER 200A-220V                 | EACH                    |  | 2,279.00                      |
|                  | POWER SUPPLY VOLTAGE V:                       | 1PH/220V ± 25%          |                                                                                       |                               |
|                  | DUTY CYCLE 40°C 10 MIN:                       | 35% 200A                |                                                                                       |                               |
|                  | OPEN CIRCUIT VOLTAGE                          | 56V                     |                                                                                       |                               |
|                  | NET WEIGHT AND DIMENSIONS:                    | 465 X 270 X 330 5.5kg   |                                                                                       |                               |
|                  | ELECTRODE DIAMETERS:                          | 2.0 - 5.0mm             |                                                                                       |                               |
|                  | WELDING CURRENT RANGE                         | 20A- 200A               |                                                                                       |                               |
|                  | INCLUDES:                                     | EARTH CABLE SET         |                                                                                       |                               |
| TA-ARC200DP      | TAURUS MMA INVERTER 200A -220V PULSE/SYNERGIC | EACH                    |  | 2,786.00                      |
|                  | POWER SUPPLY VOLTAGE V:                       | 1PH/220V ± 25%          |                                                                                       |                               |
|                  | DUTY CYCLE 40°C 10 MIN:                       | 60% 200A                |                                                                                       |                               |
|                  | OPEN CIRCUIT VOLTAGE                          | 62V                     |                                                                                       |                               |
|                  | NET WEIGHT AND DIMENSIONS:                    | 465 x 225 x 320mm 5.5KG |                                                                                       |                               |
|                  | ELECTRODE DIAMETERS:                          | 2.0 - 5.0mm             |                                                                                       |                               |
|                  | WELDING CURRENT RANGE                         | 20A- 200A               |                                                                                       |                               |
|                  | INCLUDES:                                     | EARTH CABLE SET         |                                                                                       |                               |
| TA-MMA250VRD     | TAURUS MMA250VRD HD WELDER 220V               |                         |  | 7,072.00                      |
|                  | POWER SUPPLY VOLTAGE V:                       | 1PH/220V ± 25%          |                                                                                       |                               |
|                  | DUTY CYCLE 40°C 10 MIN:                       | 80% 250A                |                                                                                       |                               |
|                  | OPEN CIRCUIT VOLTAGE                          | 62V (VRD 15V)           |                                                                                       |                               |
|                  | NET WEIGHT AND DIMENSIONS:                    | 530 X 315 X 435 - 10KG  |                                                                                       |                               |
|                  | ELECTRODE DIAMETERS:                          | 2.0 - 5.0mm             |                                                                                       |                               |
|                  | WELDING CURRENT RANGE                         | 15A- 250A               |                                                                                       |                               |
|                  | INCLUDES:                                     | EARTH CABLE SET         |                                                                                       |                               |
| TA-MMA400L       | TAURUS MMA PRO INVERTER 400A VRD              | EACH                    |  | 15,643.00                     |
|                  | POWER SUPPLY VOLTAGE V:                       | 3PH 380V/525V +- 15%    |                                                                                       |                               |
|                  | DUTY CYCLE 40°C 10 MIN:                       | 80% 400A                |                                                                                       |                               |
|                  | OPEN CIRCUIT VOLTAGE                          | 68V                     |                                                                                       |                               |
|                  | NET WEIGHT AND DIMENSIONS:                    | 647 x 367 x 542mm 19KG  |                                                                                       |                               |
|                  | ELECTRODE DIAMETERS:                          | 1.6 - 6.0mm             |                                                                                       |                               |
|                  | WELDING CURRENT RANGE                         | 20A - 400A              |                                                                                       |                               |
|                  | INCLUDES:                                     | EARTH CABLE SET         |                                                                                       |                               |
| ARC200EX         | FLAMA MMA INVERTER 200A - 220V                |                         |  | 2,500.00                      |
|                  | POWER SUPPLY VOLTAGE V:                       | 160-275                 |                                                                                       |                               |

|                                         |                                                            |                                                           |                                                                                       |           |
|-----------------------------------------|------------------------------------------------------------|-----------------------------------------------------------|---------------------------------------------------------------------------------------|-----------|
|                                         | DUTY CYCLE 40°C 10 MIN:                                    | 35% @ 200A                                                |     |           |
|                                         | NO LOAD VOLTAGE V:                                         | 60V                                                       |                                                                                       |           |
|                                         | NET WEIGHT AND DIMENSIONS:                                 |                                                           |                                                                                       |           |
|                                         | ELECTRODE DIAMETERS:                                       | 1.6 - 4.0mm                                               |                                                                                       |           |
|                                         | ELECTRODE TYPE:                                            | 6013, 7018, ETC                                           |                                                                                       |           |
|                                         | INCLUDES:                                                  | EARTH CABLE SET                                           |                                                                                       |           |
|                                         |                                                            |                                                           |                                                                                       |           |
| MMA/TIG Inverters                       |                                                            |                                                           |                                                                                       |           |
| TA-TIG180M                              | TAURUS TIG 180A DC-HF WELDER-220V ENTRY LEVEL/DIY          | EACH                                                      |    | 4,928.57  |
|                                         | POWER SUPPLY VOLTAGE V:                                    | 1PH, AC220V ± 25%                                         |                                                                                       |           |
|                                         | DUTY CYCLE 40°C 10 MIN:                                    | 35% 180A                                                  |                                                                                       |           |
|                                         | NET WEIGHT AND DIMENSIONS:                                 | 465 X 270 X 345 6.6 Kg                                    |                                                                                       |           |
|                                         | WELDING CURRENT RANGE A:                                   | 10-180A                                                   |                                                                                       |           |
|                                         |                                                            |                                                           |                                                                                       |           |
|                                         | INCLUDES:                                                  | T17X4M TORCH, FLOW METER & EARTH CABLE SET                |                                                                                       |           |
|                                         |                                                            |                                                           |                                                                                       |           |
| TA-TIG200DC-HF                          | TAURUS DC HF TIG INVERT 200A PULSE - HEAVY DUTY            |                                                           |    | 9,715.00  |
|                                         | POWER SUPPLY VOLTAGE V:                                    | 1PH/220V +- 25%                                           |                                                                                       |           |
|                                         | DUTY CYCLE 40°C 10 MIN:                                    | 60% 200A                                                  |                                                                                       |           |
|                                         | OPEN CIRCUIT VOLTAGE                                       | 62V                                                       |                                                                                       |           |
|                                         | NET WEIGHT AND DIMENSIONS:                                 | 320 x 160 x 300mm 8kg                                     |                                                                                       |           |
|                                         | WELDING CURRENT RANGE A:                                   | 20 - 200A                                                 |                                                                                       |           |
|                                         |                                                            |                                                           |                                                                                       |           |
|                                         | INCLUDES:                                                  | WP17X4M TORCH, FLOW METER & EARTH CABLE SET               |                                                                                       |           |
|                                         |                                                            |                                                           |                                                                                       |           |
| TA-TIG280PRO                            | TAURUS DC HF TIG INVERT 280A PULSE - HEAVY DUTY            |                                                           |   | 11,715.00 |
|                                         | POWER SUPPLY VOLTAGE V:                                    | 1PH/220V +- 25%                                           |                                                                                       |           |
|                                         | DUTY CYCLE 40°C 10 MIN:                                    | 80% 280A                                                  |                                                                                       |           |
|                                         | OPEN CIRCUIT VOLTAGE                                       | 62V                                                       |                                                                                       |           |
|                                         | NET WEIGHT AND DIMENSIONS:                                 | 530 315 x430mm 9.5kg                                      |                                                                                       |           |
|                                         | WELDING CURRENT RANGE A:                                   | 10 to 280A (TIG) 30 to 250a (MMA)                         |                                                                                       |           |
|                                         |                                                            |                                                           |                                                                                       |           |
|                                         | INCLUDES:                                                  | WP26X4M TORCH, FLOW METER & EARTH CABLE SET               |                                                                                       |           |
|                                         |                                                            |                                                           |                                                                                       |           |
| AC/DC MMA/TIG Inverters & Water Coolers |                                                            |                                                           |                                                                                       |           |
| TA-WRA300S220V                          | TAURUS WATER RECIRCULATOR 8L-220V/1P                       | EACH                                                      |  | 6,786.00  |
|                                         | POWER SUPPLY VOLTAGE V:                                    | 220V                                                      |                                                                                       |           |
|                                         |                                                            |                                                           |                                                                                       |           |
|                                         |                                                            |                                                           |                                                                                       |           |
|                                         |                                                            |                                                           |                                                                                       |           |
|                                         |                                                            |                                                           |                                                                                       |           |
|                                         |                                                            |                                                           |                                                                                       |           |
| TA-TIG200I-ACDC                         | TAURUS ECON AC/DC TIG INVERT 200A220V- HF & PULSE          |                                                           |  | 11,215.00 |
|                                         | POWER SUPPLY VOLTAGE V:                                    | 1PH/220V +- 20%                                           |                                                                                       |           |
|                                         | DUTY CYCLE 40°C 10 MIN:                                    | 30% 200A                                                  |                                                                                       |           |
|                                         | OPEN CIRCUIT VOLTAGE                                       | 60V                                                       |                                                                                       |           |
|                                         | NET WEIGHT AND DIMENSIONS:                                 | 490 x 300 x 330mm 13.5kg                                  |                                                                                       |           |
|                                         | WELDING CURRENT RANGE A:                                   | 10- 200A                                                  |                                                                                       |           |
|                                         |                                                            |                                                           |                                                                                       |           |
|                                         | INCLUDES:                                                  | WP17X4M TORCH, FLOW METER, EARTH CABLE SET                |                                                                                       |           |
|                                         |                                                            |                                                           |                                                                                       |           |
| TA-TIG200P-ACDC                         | TAURUS AC/DC TIG INVERT 200A 220V- HF & PULSE - HEAVY DUTY |                                                           |  | 17,858.00 |
|                                         | POWER SUPPLY VOLTAGE V:                                    | 1PH/220V +- 20%                                           |                                                                                       |           |
|                                         | DUTY CYCLE 40°C 10 MIN:                                    | 40% 200A                                                  |                                                                                       |           |
|                                         | OPEN CIRCUIT VOLTAGE                                       | 56V                                                       |                                                                                       |           |
|                                         | NET WEIGHT AND DIMENSIONS:                                 | 500 x 220 x 400mm 12kg                                    |                                                                                       |           |
|                                         | WELDING CURRENT RANGE A:                                   | 5 -200A                                                   |                                                                                       |           |
|                                         |                                                            |                                                           |                                                                                       |           |
|                                         | INCLUDES:                                                  | WP26X4M TORCH, FLOW METER, FOOT CONTROL & EARTH CABLE SET |                                                                                       |           |
|                                         |                                                            |                                                           |                                                                                       |           |
| Inverter MIG/MMA                        |                                                            |                                                           |                                                                                       |           |
| IW-MIG-120XP                            | iWELD MIG-120XP SYNERGIC HANDHELD SPOOL GUN WELDER         | EACH                                                      |  | 3,643.00  |
|                                         | POWER SUPPLY VOLTAGE V:                                    | 1PH/220V +- 15%                                           |                                                                                       |           |
|                                         | DUTY CYCLE 40°C 10 MIN:                                    | 20% 120A                                                  |                                                                                       |           |
|                                         | OPEN CIRCUIT VOLTAGE                                       | 55V                                                       |                                                                                       |           |
|                                         | NET WEIGHT AND DIMENSIONS:                                 | 370 x 195 x 260mm - 2.5Kg                                 |                                                                                       |           |
|                                         | WIRE DIAMETERS:                                            | 0.8- 1.0MM                                                |                                                                                       |           |
|                                         | WELDING CURRENT RANGE A:                                   | 30 - 160A                                                 |                                                                                       |           |
|                                         | TAKES 1KG SPOOLS GASLESS WELDING ONLY                      |                                                           |                                                                                       |           |
|                                         | INCLUDES:                                                  | EARTH CABLE                                               |                                                                                       |           |
| TA-MIG160I                              | TAURUS 160A MIG/MMA WELDING MACHINE GAS/GASLESS 220V       | EACH                                                      |  | 6,358.00  |
|                                         | POWER SUPPLY VOLTAGE V:                                    | 1PH/220V +- 15%                                           |                                                                                       |           |
|                                         | DUTY CYCLE 40°C 10 MIN:                                    | 60% 160A                                                  |                                                                                       |           |
|                                         | OPEN CIRCUIT VOLTAGE                                       | 60V                                                       |                                                                                       |           |
|                                         | NET WEIGHT AND DIMENSIONS:                                 | 515 x 312 x 390mm 8KG                                     |                                                                                       |           |
|                                         | WIRE DIAMETERS:                                            | 0.8- 1.0MM                                                |                                                                                       |           |
|                                         | WELDING CURRENT RANGE A:                                   | 30 - 160A                                                 |                                                                                       |           |
|                                         | TAKES 5KG SPOOLS                                           |                                                           |                                                                                       |           |
|                                         | INCLUDES:                                                  | BZ15.3M TORCH, FLOWMETER & EARTH CABLE SET                |                                                                                       |           |
|                                         |                                                            |                                                           |                                                                                       |           |
| TA-MIG250TD                             | TAURUS MIG/MMA250TD COMPACT WELDER-220V                    | EACH                                                      |  | 15,700.00 |
|                                         | POWER SUPPLY VOLTAGE V:                                    | 1PH/220V +- 25%                                           |                                                                                       |           |

|             |                                             |                                                                              |                                                                                       |           |
|-------------|---------------------------------------------|------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-----------|
|             | DUTY CYCLE 40°C 10 MIN:                     | 60% @ 250A                                                                   |     |           |
|             | NET WEIGHT                                  | 41KG                                                                         |                                                                                       |           |
|             | OPEN CIRCUIT VOLTAGE                        | 52V                                                                          |                                                                                       |           |
|             | WELDING RANGE                               | 50 TO 250A                                                                   |                                                                                       |           |
|             | WIRE DIAMETER                               | 0.8- 1.2MM                                                                   |                                                                                       |           |
|             |                                             |                                                                              |                                                                                       |           |
|             |                                             |                                                                              |                                                                                       |           |
|             | INCLUDES:                                   | BZ25 TORCH, FLOWMETER & EARTH CABLE SET                                      |                                                                                       |           |
| TA-MIG300TD | TAURUS MIG/MMA300TD COMPACT WELDER-380V     | EACH                                                                         |    | 18,558.00 |
|             | POWER SUPPLY VOLTAGE V:                     | 3PH/380V +- 15%                                                              |                                                                                       |           |
|             | DUTY CYCLE 40°C 10 MIN:                     | 60% @ 300A                                                                   |                                                                                       |           |
|             | NET WEIGHT                                  | 42 Kg                                                                        |                                                                                       |           |
|             | OPEN CIRCUIT VOLTAGE                        | 55v                                                                          |                                                                                       |           |
|             | WELDING RANGE                               | 50 TO 300A                                                                   |                                                                                       |           |
|             | WIRE DIAMETER                               | 0.8- 1.2MM                                                                   |                                                                                       |           |
|             |                                             |                                                                              |                                                                                       |           |
|             | INCLUDES:                                   | BZ36 TORCH, FLOWMETER & EARTH CABLE SET                                      |                                                                                       |           |
| TA-MIG350IT | TAURUS MIG/MMA350I WELDER + WIREFEEDER-380V | EACH                                                                         |   | 30,000.00 |
|             | POWER SUPPLY VOLTAGE V:                     | 3PH/380V +- 15%                                                              |                                                                                       |           |
|             | DUTY CYCLE 40°C 10 MIN:                     | 60% @ 350A                                                                   |                                                                                       |           |
|             | NET WEIGHT                                  | 28kg                                                                         |                                                                                       |           |
|             | OPEN CIRCUIT VOLTAGE                        | 67V                                                                          |                                                                                       |           |
|             | WELDING RANGE                               | 60 TO 350A                                                                   |                                                                                       |           |
|             | WIRE DIAMETER                               | 0.8 TO 1.6 MM                                                                |                                                                                       |           |
|             | BUILT IN WHEELS AND TROLLEY                 |                                                                              |                                                                                       |           |
|             |                                             |                                                                              |                                                                                       |           |
|             | INCLUDES:                                   | BZ36.4M TORCH, FLOWMETER & EARTH CABLE SET                                   |                                                                                       |           |
| TA-MIG500I  | TAURUS MIG/MMA500I WELDER + WIREFEEDER-380V | EACH                                                                         |  | 37,858.00 |
|             | POWER SUPPLY VOLTAGE V:                     | 3PH/380V +- 15%                                                              |                                                                                       |           |
|             | DUTY CYCLE 40°C 10 MIN:                     | 60% @ 500A                                                                   |                                                                                       |           |
|             | NET WEIGHT                                  | 37KG                                                                         |                                                                                       |           |
|             | OPEN CIRCUIT VOLTAGE                        | 70V                                                                          |                                                                                       |           |
|             | WELDING RANGE                               | 60 TO 500A                                                                   |                                                                                       |           |
|             | WIRE DIAMETER                               | 0.8 TO 1.6MM                                                                 |                                                                                       |           |
|             | NO TROLLEY, ON WHEELS                       |                                                                              |                                                                                       |           |
|             |                                             |                                                                              |                                                                                       |           |
|             | INCLUDES:                                   | BZ40.4M TORCH, FLOWMETER & EARTH CABLE SET (BZ501 .4m if water cooler taken) |                                                                                       |           |
| TA-MIG500IT | TAURUS MIG/MMA500I WELDER + WIREFEEDER-380V | EACH                                                                         |  | 39,286.00 |
|             | POWER SUPPLY VOLTAGE V:                     | 3PH/380V +- 15%                                                              |                                                                                       |           |
|             | DUTY CYCLE 40°C 10 MIN:                     | 60% @ 500A                                                                   |                                                                                       |           |
|             | NET WEIGHT                                  | 37KG                                                                         |                                                                                       |           |
|             | OPEN CIRCUIT VOLTAGE                        | 70V                                                                          |                                                                                       |           |
|             | WELDING RANGE                               | 60 TO 500A                                                                   |                                                                                       |           |
|             | WIRE DIAMETER                               | 0.8 TO 1.6MM                                                                 |                                                                                       |           |
|             | BUILT IN WHEELS AND TROLLEY                 |                                                                              |                                                                                       |           |
|             |                                             |                                                                              |                                                                                       |           |
|             | INCLUDES:                                   | BZ40.4M TORCH, FLOWMETER & EARTH CABLE SET                                   |                                                                                       |           |
| TA-MIG500I  | TAURUS MIG/MMA500I WELDER + WIREFEEDER-380V | EACH                                                                         |  | 48,429.00 |
|             | POWER SUPPLY VOLTAGE V:                     | 3PH/380V +- 15%                                                              |                                                                                       |           |
|             | DUTY CYCLE 40°C 10 MIN:                     | 60% @ 500A                                                                   |                                                                                       |           |
|             | NET WEIGHT                                  | 37KG                                                                         |                                                                                       |           |
|             | OPEN CIRCUIT VOLTAGE                        | 70V                                                                          |                                                                                       |           |
|             | WELDING RANGE                               | 60 TO 500A                                                                   |                                                                                       |           |
|             | WIRE DIAMETER                               | 0.8 TO 1.6MM                                                                 |                                                                                       |           |
|             | WITH TROLLEY AND WATERCOOLER                |                                                                              |                                                                                       |           |
|             |                                             |                                                                              |                                                                                       |           |
|             | INCLUDES:                                   | BZ501.4M TORCH, FLOWMETER & EARTH CABLE SET<br>WATER COOLER, TROLLEY         |                                                                                       |           |
| TA-TROLLEY  | TAURUS UNIVERSAL TROLLEY 3 SHELF            | EACH                                                                         |  | 5,000.00  |
|             |                                             |                                                                              |                                                                                       |           |
|             |                                             |                                                                              |                                                                                       |           |
|             |                                             |                                                                              |                                                                                       |           |
|             |                                             |                                                                              |                                                                                       |           |
|             |                                             |                                                                              |                                                                                       |           |

|                                  |                                              |                                                      |                                                                                       |            |
|----------------------------------|----------------------------------------------|------------------------------------------------------|---------------------------------------------------------------------------------------|------------|
|                                  |                                              |                                                      |     |            |
|                                  |                                              |                                                      |                                                                                       |            |
| TA-WRA300S380V                   | TAURUS WATER RECIRCULATOR 8L-220V            | EACH                                                 |    | 7,072.00   |
|                                  | POWER SUPPLY VOLTAGE V:                      | 380V                                                 |                                                                                       |            |
|                                  |                                              |                                                      |                                                                                       |            |
|                                  |                                              |                                                      |                                                                                       |            |
|                                  |                                              |                                                      |                                                                                       |            |
|                                  |                                              |                                                      |                                                                                       |            |
|                                  |                                              |                                                      |                                                                                       |            |
|                                  |                                              |                                                      |                                                                                       |            |
| Laser Welders                    |                                              |                                                      |                                                                                       |            |
| STR-HW-200                       | TAURUS HW-200 LASER WELDING MACHINE          | EACH                                                 |    | 108,572.00 |
|                                  | POWER SUPPLY VOLTAGE                         | 220V                                                 |                                                                                       |            |
|                                  | LASER POWER                                  | 700W                                                 |                                                                                       |            |
|                                  | DUTY CYCLE                                   | 100% @ 700W                                          |                                                                                       |            |
|                                  | COOLING                                      | PATENTED REFRIGERANT DESIGN                          |                                                                                       |            |
|                                  | WAVE LENGTH                                  | 1080NM                                               |                                                                                       |            |
|                                  | WEIGHT ANMD DIMENSIONS                       | 38KG >675x310x580 (PSU)<br>18KG >585x252x457(FEEDER) |                                                                                       |            |
|                                  | MAX STEEL THICKNESS FOR WELDING              | 2.0 - 2.8MM                                          |                                                                                       |            |
|                                  | INCLUDES:                                    | SAFETY CABLE, LASER TORCH,<br>WIREFEEDER, FLOW METER |                                                                                       |            |
| STR-HW-350                       | TAURUS HW-350 LASER WELDING MACHINE          | EACH                                                 |   | 143,000.00 |
|                                  | POWER SUPPLY VOLTAGE                         | 220V                                                 |                                                                                       |            |
|                                  | LASER POWER                                  | 900W                                                 |                                                                                       |            |
|                                  | DUTY CYCLE                                   | 100% @ 900W                                          |                                                                                       |            |
|                                  | COOLING                                      | PATENTED REFRIGERANT DESIGN                          |                                                                                       |            |
|                                  | WAVE LENGTH                                  | 1080NM                                               |                                                                                       |            |
|                                  | WEIGHT ANMD DIMENSIONS                       | 39KG >675x310x580 (PSU)<br>18KG >585x252x457(FEEDER) |                                                                                       |            |
|                                  | MAX STEEL THICKNESS FOR WELDING              | 3.0MM                                                |                                                                                       |            |
|                                  | INCLUDES:                                    | SAFETY CABLE, LASER TORCH,<br>WIREFEEDER, FLOW METER |                                                                                       |            |
| STR-HW-450                       | TAURUS HW-450 LASER WELDING MACHINE          | EACH                                                 |  | 175,000.00 |
|                                  | POWER SUPPLY VOLTAGE                         | 220V                                                 |                                                                                       |            |
|                                  | LASER POWER                                  | 1200W                                                |                                                                                       |            |
|                                  | DUTY CYCLE                                   | 100% @ 1200W                                         |                                                                                       |            |
|                                  | COOLING                                      | PATENTED REFRIGERANT DESIGN                          |                                                                                       |            |
|                                  | WAVE LENGTH                                  | 1080NM                                               |                                                                                       |            |
|                                  | WEIGHT ANMD DIMENSIONS                       | 43KG >673x310x605 (PSU)<br>18KG >585x252x457(FEEDER) |                                                                                       |            |
|                                  | MAX STEEL THICKNESS FOR WELDING              | 4.0MM                                                |                                                                                       |            |
|                                  | INCLUDES:                                    | SAFETY CABLE, LASER TORCH,<br>WIREFEEDER, FLOW METER |                                                                                       |            |
| STR-HW-550                       | TAURUS HW-550 LASER WELDING MACHINE          |                                                      |  | 250,000.00 |
|                                  | POWER SUPPLY VOLTAGE                         | 220V                                                 |                                                                                       |            |
|                                  | LASER POWER                                  | 1500W                                                |                                                                                       |            |
|                                  | DUTY CYCLE                                   | 100% @ 1500W                                         |                                                                                       |            |
|                                  | COOLING                                      | PATENTED REFRIGERANT DESIGN                          |                                                                                       |            |
|                                  | WAVE LENGTH                                  | 1080NM                                               |                                                                                       |            |
|                                  | WEIGHT ANMD DIMENSIONS                       | 45KG >673x310x605 (PSU)<br>18KG >585x252x457(FEEDER) |                                                                                       |            |
|                                  | MAX STEEL THICKNESS FOR WELDING              | 6.0MM                                                |                                                                                       |            |
|                                  | INCLUDES:                                    | SAFETY CABLE, LASER TORCH,<br>WIREFEEDER, FLOW METER |                                                                                       |            |
| STR-HW-850                       | TAURUS HW-850 LASER WELDING MACHINE          |                                                      |                                                                                       | 450,000.00 |
|                                  | MAX STEEL THICKNESS FOR WELDING              | 10.0MM                                               |                                                                                       |            |
|                                  |                                              |                                                      |                                                                                       |            |
| Plasma Cutters - Including Torch |                                              |                                                      |                                                                                       |            |
| TA-CUT40H                        | TAURUS PLASMA CUTTER-CUT40H-220V ENTRY LEVEL | EACH                                                 |  | 4,071.43   |
|                                  | POWER SUPPLY VOLTAGE V:                      | 1PH/220V +-15%                                       |                                                                                       |            |
|                                  | DUTY CYCLE 40°C 10 MIN:                      | 35% @ 40A                                            |                                                                                       |            |
|                                  | OPEN CIRCUIT VOLTAGE                         | 231V                                                 |                                                                                       |            |
|                                  | NET WEIGHT                                   | 4.5KG                                                |                                                                                       |            |
|                                  | QUALITY MAX CUT IN MM:                       | 8 MM                                                 |                                                                                       |            |
|                                  | SEVERANCE CUT IN MM:                         | 12 MM                                                |                                                                                       |            |
|                                  | INCLUDES:                                    | PT31 TORCH<br>& EARTH CABLE SET                      |                                                                                       |            |
| TA-CUT40PA                       | TAURUS PLASMA CUTTER-CUT 40PA - 220V         | EACH                                                 |  | 5,500.00   |
|                                  | POWER SUPPLY VOLTAGE V:                      | 1PH/220V +-15%                                       |                                                                                       |            |
|                                  | DUTY CYCLE 40°C 10 MIN:                      | 60% @ 40A                                            |                                                                                       |            |
|                                  | OPEN CIRCUIT VOLTAGE                         | 270V                                                 |                                                                                       |            |
|                                  | NET WEIGHT                                   | 8.13 KG                                              |                                                                                       |            |
|                                  | QUALITY MAX CUT IN MM:                       | 8 MM                                                 |                                                                                       |            |
|                                  | SEVERANCE CUT IN MM:                         | 12 MM                                                |                                                                                       |            |
|                                  |                                              |                                                      |                                                                                       |            |

|                                                 |                                                  |                                               |                                                                                       |           |
|-------------------------------------------------|--------------------------------------------------|-----------------------------------------------|---------------------------------------------------------------------------------------|-----------|
|                                                 |                                                  |                                               |     |           |
|                                                 | INCLUDES:                                        | P60 TORCH, WATER REGULATOR & EARTH CABLE SET  |                                                                                       |           |
|                                                 |                                                  |                                               |                                                                                       |           |
| TA-CUT40D                                       | TAURUS CUT40D COMPRESSOR PLASMA CUTTER           | EACH                                          |    | 9,929.00  |
|                                                 | POWER SUPPLY VOLTAGE V:                          | 1PH/220V +-15%                                |                                                                                       |           |
|                                                 | DUTY CYCLE 40°C 10 MIN:                          | 60% @ 40A                                     |                                                                                       |           |
|                                                 | OPEN CIRCUIT VOLTAGE                             | 265V                                          |                                                                                       |           |
|                                                 | NET WEIGHT                                       | 20.5KG                                        |                                                                                       |           |
|                                                 | QUALITY MAX CUT IN MM:                           | 12MM                                          |                                                                                       |           |
|                                                 | SEVERANCE CUT IN MM:                             | 16MM                                          |                                                                                       |           |
|                                                 |                                                  |                                               |                                                                                       |           |
|                                                 |                                                  |                                               |                                                                                       |           |
|                                                 |                                                  |                                               |                                                                                       |           |
|                                                 | INCLUDES:                                        | AG60 TORCH, WATER REGULATOR & EARTH CABLE SET |                                                                                       |           |
|                                                 |                                                  |                                               |                                                                                       |           |
| TA-CUT70I                                       | TAURUS PLASMA CUTTER-CUT 70I-380V+P80            | EACH                                          |    | 13,929.00 |
|                                                 | POWER SUPPLY VOLTAGE V:                          | 3PH/380V +-15%                                |                                                                                       |           |
|                                                 | DUTY CYCLE 40°C 10 MIN:                          | 60% @ 70A                                     |                                                                                       |           |
|                                                 | OPEN CIRCUIT VOLTAGE                             | 285V                                          |                                                                                       |           |
|                                                 | NET WEIGHT                                       | 30 Kg 595 X 315 X 530                         |                                                                                       |           |
|                                                 | QUALITY MAX CUT IN MM:                           | 20MM                                          |                                                                                       |           |
|                                                 | SEVERANCE CUT IN MM:                             | 30MM                                          |                                                                                       |           |
|                                                 |                                                  |                                               |                                                                                       |           |
|                                                 |                                                  |                                               |                                                                                       |           |
|                                                 |                                                  |                                               |                                                                                       |           |
|                                                 | INCLUDES:                                        | P80 TORCH, WATER REGULATOR & EARTH CABLE SET  |                                                                                       |           |
|                                                 |                                                  |                                               |                                                                                       |           |
| TA-CUT70A                                       | TAURUS PLASMA COMPRESSOR CUTTER-CUT70A-220V/380V | EACH                                          |   | 19,286.00 |
|                                                 | POWER SUPPLY VOLTAGE V:                          | 1PH/220V +-25% / 3PH 380V +- 25%              |                                                                                       |           |
|                                                 | DUTY CYCLE 40°C 10 MIN:                          | 60% @ 60A -220V / 60% @ 70A - 380V            |                                                                                       |           |
|                                                 | OPEN CIRCUIT VOLTAGE                             | 268V                                          |                                                                                       |           |
|                                                 | NET WEIGHT                                       | 42.5KG                                        |                                                                                       |           |
|                                                 | QUALITY MAX CUT IN MM:                           | 25MM (70A)                                    |                                                                                       |           |
|                                                 | SEVERANCE CUT IN MM:                             | 30MM (70A)                                    |                                                                                       |           |
|                                                 |                                                  |                                               |                                                                                       |           |
|                                                 | MMA CURRENT RANGE                                | 30 - 170A                                     |                                                                                       |           |
|                                                 |                                                  |                                               |                                                                                       |           |
|                                                 | INCLUDES:                                        | P80 TORCH, WATER REGULATOR & EARTH CABLE SET  |                                                                                       |           |
|                                                 |                                                  |                                               |                                                                                       |           |
| TA-CUT120I                                      | TAURUS CUT-120I PLASMA CUTTER+P80 TORCH          | EACH                                          |  | 23,929.00 |
|                                                 | POWER SUPPLY VOLTAGE V:                          | 3PH/380V +- 15%                               |                                                                                       |           |
|                                                 | DUTY CYCLE 40°C 10 MIN:                          | 60% @ 120A                                    |                                                                                       |           |
|                                                 | OPEN CIRCUIT VOLTAGE                             | 300V                                          |                                                                                       |           |
|                                                 | NET WEIGHT                                       | 41KG                                          |                                                                                       |           |
|                                                 | QUALITY MAX CUT IN MM:                           | 30MM                                          |                                                                                       |           |
|                                                 | SEVERANCE CUT IN MM:                             | 50MM                                          |                                                                                       |           |
|                                                 |                                                  |                                               |                                                                                       |           |
|                                                 |                                                  |                                               |                                                                                       |           |
|                                                 |                                                  | P80 TORCH, WATER REGULATOR & EARTH CABLE SET  |                                                                                       |           |
|                                                 |                                                  |                                               |                                                                                       |           |
| Machine Spares                                  |                                                  |                                               |                                                                                       |           |
| ARC200EX Flama MMA Inverter 200A - 220V spares  |                                                  |                                               |                                                                                       |           |
|                                                 |                                                  |                                               |                                                                                       |           |
| ARC200EXS-1                                     | FLAMA INVERTER 200A - MAIN PC BOARD              | EACH                                          |                                                                                       | 1,842.90  |
| ARC200EXS-2                                     | FLAMA INVERTER 200A - ON/OFF ROCKER              | EACH                                          |                                                                                       | 41.50     |
| ARC200EXS-3                                     | FLAMA INVERTER 200A - BACK COVER                 | EACH                                          |                                                                                       | 207.20    |
| ARC200EXS-4                                     | FLAMA INVERTER 200A - FAN                        | EACH                                          |                                                                                       | 307.20    |
| ARC200EXS-5                                     | FLAMA INVERTER 200A - COVER                      | EACH                                          |                                                                                       | 307.20    |
| ARC200EXS-6                                     | FLAMA INVERTER 200A - POWER CABLE                | EACH                                          |                                                                                       | 214.30    |
| ARC200EXS-7                                     | FLAMA INVERTER 200A -FRONT COVER & DINSE         | EACH                                          |                                                                                       | 307.20    |
| ARC200EXS-8                                     | FLAMA INVERTER 200A -DISPLAY BOARD & POT         | EACH                                          |                                                                                       | 714.30    |
| ARC200EXS-9                                     | FLAMA INVERTER 200A - 200A CABLE SET             | EACH                                          |                                                                                       | 785.80    |
|                                                 |                                                  |                                               |                                                                                       |           |
| TIG200 HF Flama Tig Inverter 200A - 220V spares |                                                  |                                               |                                                                                       |           |
|                                                 |                                                  |                                               |                                                                                       |           |
| TIG200DCS-1                                     | FLAMA 200A DC TIG MAIN BOARD                     | EACH                                          |                                                                                       | 1,842.90  |
| TIG200DCS-2                                     | FLAMA 200A DC TIG FRONT COVER                    | EACH                                          |                                                                                       | 307.20    |
| TIG200DCS-3                                     | FLAMA 200A DC TIG BACK COVER                     | EACH                                          |                                                                                       | 207.20    |
| TIG200DCS-5                                     | FLAMA 200A DC TIG DISPLAY BOARD                  | EACH                                          |                                                                                       | 414.30    |
| TIG200DCS-6                                     | FLAMA 200A DC TIG MAIN PLASTIC COVER             | EACH                                          |                                                                                       | 51.50     |
| TIG200DCS-7                                     | FLAMA 200A DC TIG COVER                          | EACH                                          |                                                                                       | 307.20    |
| TIG200DCS-8                                     | FLAMA 200A DC TIG 24V FAN                        | EACH                                          |                                                                                       | 307.20    |
| TIG200DCS-9                                     | FLAMA 200A DC TIG HF BOARD                       | EACH                                          |                                                                                       | 714.30    |
|                                                 |                                                  |                                               |                                                                                       |           |
| Generic spares                                  |                                                  |                                               |                                                                                       |           |
|                                                 |                                                  |                                               |                                                                                       |           |
| SPA001                                          | RED ON/OFF ROCKER 220V                           | EACH                                          |                                                                                       | 41.50     |
| SPA002                                          | 220V MACHINE POWER CABLE                         | EACH                                          |                                                                                       | 214.30    |
| SPA010                                          | 200A ELECTRODE & EARTH CABLE SET                 | EACH                                          |                                                                                       | 785.80    |
| SPA020                                          | 24V SOLENOID                                     | EACH                                          |                                                                                       | 514.30    |
| SPA030                                          | 200A EARTH CABLE 2.5MT 50MM DINSE                | EACH                                          |                                                                                       | 285.80    |
| Hotbox's                                        |                                                  |                                               |                                                                                       |           |
| Hot Boxes and Ovens                             |                                                  |                                               |                                                                                       |           |
| D-5-PREMIUM                                     | TAURUS HOTBOX 5KG                                | EACH                                          |                                                                                       | 1,035.71  |
| D-10-PREMIUM                                    | TAURUS HOTBOX 10KG                               | EACH                                          |                                                                                       | 1,929.00  |
| D-10-DIGITAL                                    | TAURUS HOTBOX DIGITAL 10KG                       | EACH                                          |                                                                                       | 2,072.00  |
|                                                 |                                                  |                                               |                                                                                       |           |
| Soldering Irons                                 |                                                  |                                               |                                                                                       |           |
| Electric Soldering Irons                        |                                                  |                                               |                                                                                       |           |

|                                                  |                                                        |                     |  |          |
|--------------------------------------------------|--------------------------------------------------------|---------------------|--|----------|
|                                                  |                                                        |                     |  |          |
| ESI60W                                           | TAURUS ELECTRIC SOLDERING IRON 60W - 1.3M CABLE        | EACH                |  | 94.29    |
|                                                  |                                                        |                     |  |          |
| ESI100W                                          | TAURUS ELECTRIC SOLDERING IRON 100W - 1.3M CABLE       | EACH                |  | 115.71   |
|                                                  |                                                        |                     |  |          |
| Welding Electrodes & Wires                       |                                                        |                     |  |          |
| Taurus Electrodes                                |                                                        |                     |  |          |
| Mild Steel 6013 Electrodes                       |                                                        |                     |  |          |
| 6013-2.60                                        | TAURUS MILD STEEL ELECTRODE 6013-2.6MM                 | PER KG/5 KG BOX     |  | 70.00    |
| 6013-3.20                                        | TAURUS MILD STEEL ELECTRODE 6013-3.2MM                 | PER KG/5 KG BOX     |  | 68.60    |
| 6013-4.00                                        | TAURUS MILD STEEL ELECTRODE 6013-4.0MM                 | PER KG/5 KG BOX     |  | 65.80    |
|                                                  |                                                        |                     |  |          |
| 6013-2.00-1                                      | TAURUS MILD STEEL ELECTRODE 6013-2.0MM                 | PER KG/1 KG BOX     |  | 74.30    |
| 6013-2.60-1                                      | TAURUS MILD STEEL ELECTRODE 6013-2.6MM                 | PER KG/1 KG BOX     |  | 71.50    |
| 6013-3.20-1                                      | TAURUS MILD STEEL ELECTRODE 6013-3.2MM                 | PER KG/1 KG BOX     |  | 70.00    |
|                                                  |                                                        |                     |  |          |
| 6013-2.50-SW                                     | TAURUS SUPERWELD ELECTRODE 6013 2.5MM                  | PER KG/5 KG BOX     |  | 32.20    |
| 6013-3.20-SW                                     | TAURUS SUPERWELD ELECTRODE 6013 3.2MM                  | PER KG/5 KG BOX     |  | 31.50    |
|                                                  |                                                        |                     |  |          |
| Low Hydrogen 7018-1 Electrodes                   |                                                        |                     |  |          |
| 7018-1-2.60                                      | TAURUS LOW HYDROGEN ELECTRODE 7018-2.6MM VP TIN        | PER KG/5 KG TIN     |  | 78.60    |
| 7018-1-3.20                                      | TAURUS LOW HYDROGEN ELECTRODE 7018-3.2MM VP TIN        | PER KG/5 KG TIN     |  | 78.60    |
| 7018-1-4.00                                      | TAURUS LOW HYDROGEN ELECTRODE 7018-4.0MM VP TIN        | PER KG/5 KG TIN     |  | 78.60    |
|                                                  |                                                        |                     |  |          |
| 7018-1-2.60-SW                                   | TAURUS SUPERWELD ELECTRODE 7018 2.6MM VP               | PER KG/5 KG BOX     |  | 44.30    |
| 7018-1-3.20-SW                                   | TAURUS SUPERWELD ELECTRODE 7018 3.2MM VP               | PER KG/5 KG BOX     |  | 42.90    |
|                                                  |                                                        |                     |  |          |
| Iron Powder 7024 Electrodes                      |                                                        |                     |  |          |
| 7024-3.2                                         | TAURUS IRON POWDER ELECTRODE 7024-3.2MM                | PER KG/5 KG BOX     |  | 77.20    |
| 7024-4.00                                        | TAURUS IRON POWDER ELECTRODE 7024-4.0MM                | PER KG/5 KG BOX     |  | 77.20    |
|                                                  |                                                        |                     |  |          |
| Cast Iron Electrode Grade 55                     |                                                        |                     |  |          |
| NI55-2.6                                         | TAURUS CI ELECTRODE NICKELCAST 55-2.6MM                | PER KG/1 KB TUBE    |  | 1,071.50 |
| NI55-3.2                                         | TAURUS CI ELECTRODE NICKELCAST 55-3.2MM                | PER KG/1 KB TUBE    |  | 1,071.50 |
|                                                  |                                                        |                     |  |          |
| Cast Iron Electrode Grade 98                     |                                                        |                     |  |          |
| NI98-2.60                                        | TAURUS CI ELECTRODE NICKELCAST 98-2.6MM                | PER KG/1 KB TUBE    |  | 1,400.00 |
| NI98-3.2                                         | TAURUS CI ELECTRODE NICKELCAST 98-3.2MM                | PER KG/1 KB TUBE    |  | 1,400.00 |
| NI98-4.0                                         | TAURUS CI ELECTRODE NICKELCAST 98-4.00MM               | PER KG/1 KB TUBE    |  | 1,400.00 |
|                                                  |                                                        |                     |  |          |
| Hard Facing H600R Electrode                      |                                                        |                     |  |          |
| H600R-3.20                                       | TAURUS HARD FACING ELECTRODE H600R-3.2MM               | PER KG/5 KG BOX     |  | 104.30   |
| H600R-4.00                                       | TAURUS HARD FACING ELECTRODE H600R-4.0MM               | PER KG/5 KG BOX     |  | 104.30   |
|                                                  |                                                        |                     |  |          |
| Stainless Steel Grade 308L Electrodes            |                                                        |                     |  |          |
| 308L-2.60                                        | TAURUS S/S ELECTRODE 308L-2.6MM                        | PER KG/1 KG TUBE    |  | 235.80   |
| 308L-3.20                                        | TAURUS S/S ELECTRODE 308L-3.2MM                        | PER KG/1 KG TUBE    |  | 235.80   |
|                                                  |                                                        |                     |  |          |
| Stainless Steel Grade 309L Electrodes            |                                                        |                     |  |          |
| 309L-2.60                                        | TAURUS S/S ELECTRODE 309L-2.6MM                        | PER KG/1 KG TUBE    |  | 271.50   |
| 309L-3.20                                        | TAURUS S/S ELECTRODE 309L-3.2MM                        | PER KG/1 KG TUBE    |  | 271.50   |
|                                                  |                                                        |                     |  |          |
| Stainless Steel Grade 316L Electrodes            |                                                        |                     |  |          |
| 316L-2.00                                        | TAURUS S/S ELECTRODE 316L-2.0MM                        | PER KG/1 KG TUBE    |  | 292.90   |
| 316L-2.60                                        | TAURUS S/S ELECTRODE 316L-2.6MM                        | PER KG/1 KG TUBE    |  | 278.60   |
| 316L-3.20                                        | TAURUS S/S ELECTRODE 316L-3.2MM                        | PER KG/1 KG TUBE    |  | 278.60   |
|                                                  |                                                        |                     |  |          |
| 316L-2.60-SW                                     | TAURUS SUPER S/S ELECTRODE 316L-2.6MM                  | PER KG/2 KG TUBE    |  | 221.43   |
| 316L-3.20-SW                                     | TAURUS SUPER S/S ELECTRODE 316L-3.2MM                  | PER KG/2 KG TUBE    |  | 221.43   |
|                                                  |                                                        |                     |  |          |
| Stainless Steel Dissimilar Steels 312 Electrodes |                                                        |                     |  |          |
| 680-2.60                                         | TAURUS S/S 312 ELECTRODE INOX 680-2.6MM                | PER KG/1 KG TUBE    |  | 478.60   |
| 680-3.20                                         | TAURUS S/S 312 ELECTRODE INOX 680-3.2MM                | PER KG/1 KG TUBE    |  | 478.60   |
|                                                  |                                                        |                     |  |          |
| Aluminium Electrodes                             |                                                        |                     |  |          |
| 4047-2.50-2                                      | MAGMAWELD ALUMINIUM ELECTRODE 4047 2.5MM               | PER KG/2 KG TIN     |  | 1,421.50 |
| 4047-3.25-2                                      | MAGMAWELD ALUMINIUM ELECTRODE 4047 3.2MM               | PER KG/2 KG TIN     |  | 1,421.50 |
|                                                  |                                                        |                     |  |          |
| Taurus MIG Wires                                 |                                                        |                     |  |          |
| Mild Steel Grade ER70S-6                         |                                                        |                     |  |          |
| 0.6-5KG                                          | TAURUS MIG WIRE 70S-6-0.6MM-5KG SPOOL                  | PER KG/5 KG SPOOL   |  | 69.29    |
| 0.8-5KG                                          | TAURUS MIG WIRE 70S-6-0.8MM-5KG SPOOL                  | PER KG/5 KG SPOOL   |  | 42.90    |
|                                                  |                                                        |                     |  |          |
| 0.9-1KG                                          | TAURUS MIG WIRE 70S-6-0.9MM - 1KG SPOOL                | PER SPOOL/1KG SPOOL |  | 70.80    |
|                                                  |                                                        |                     |  |          |
| 0.8                                              | TAURUS MIG WIRE 70S-6-0.8MM                            | PER KG/15 KG SPOOL  |  | 30.00    |
| 0.9                                              | TAURUS MIG WIRE 70S-6-0.9MM                            | PER KG/15 KG SPOOL  |  | 29.30    |
| 1.0                                              | TAURUS MIG WIRE 70S-6-1.0MM                            | PER KG/15 KG SPOOL  |  | 27.90    |
| 1.2                                              | TAURUS MIG WIRE 70S-6-1.2MM                            | PER KG/15 KG SPOOL  |  | 26.50    |
|                                                  |                                                        |                     |  |          |
| High Tensile Steel Grade Er100S-G                |                                                        |                     |  |          |
| ER100S-G-1.0                                     | TAURUS MIG WIRE ER100 1.0MM                            | PER KG/15 KG SPOOL  |  | 78.60    |
| ER100S-G-1.2                                     | TAURUS MIG WIRE ER100 1.2MM                            | PER KG/15 KG SPOOL  |  | 68.60    |
|                                                  |                                                        |                     |  |          |
| Flux Cored Mig Wires- Gasless                    |                                                        |                     |  |          |
| E71T11-0.9-1KG                                   | TAURUS GASLESS FCW E71T11 0.9MM 1KG - MILD STEEL       | PER SPOOL/1KG SPOOL |  | 114.29   |
| E71T-11-0.9-5KG                                  | TAURUS GASLESS FCW E71T11 0.9MM 5KG - MILD STEEL       | PER KG/5KG SPOOL    |  | 114.30   |
|                                                  |                                                        |                     |  |          |
| 316LT1-0.9-1KG                                   | TAURUS S/S MIG WIRE 316LT1 0.9MM FCW GASLESS 1KG SPOOL | PER SPOOL/1KG SPOOL |  | 364.30   |
|                                                  |                                                        |                     |  |          |

|                                        |                                           |                       |  |        |
|----------------------------------------|-------------------------------------------|-----------------------|--|--------|
| 4047-0.9-0.5KG                         | TAURUS GASLESS FCW 4047 0.9MM 0.5KG SPOOL | PER SPOOL/0.5KG SPOOL |  | 821.50 |
|                                        |                                           |                       |  |        |
| Hardfacing Fluxofil Mig Wire           |                                           |                       |  |        |
| HRC360M-1.2                            | MAGNAWELD MIG WIRE HRC59 HARDFACING 1.2MM | PER KG/15 KG SPOOL    |  | 200.00 |
|                                        |                                           |                       |  |        |
| Stainless Steel : Grade 308LSI         |                                           |                       |  |        |
| 308LSI-0.9                             | TAURUS S/S MIG WIRE 308LSI-0.9MM          | PER KG/15 KG SPOOL    |  | 164.30 |
| 308LSI-1.0                             | TAURUS S/S MIG WIRE 308LSI-1.0MM          | PER KG/15 KG SPOOL    |  | 164.30 |
| 308LSI-1.2                             | TAURUS S/S MIG WIRE 308LSI-1.2MM          | PER KG/15 KG SPOOL    |  | 164.30 |
|                                        |                                           |                       |  |        |
| Stainless Steel : Grade 309LSI         |                                           |                       |  |        |
| 309LSI-0.9                             | TAURUS S/S MIG WIRE 309LSI-0.9MM          | PER KG/15 KG SPOOL    |  | 214.30 |
| 309LSI-1.0                             | TAURUS S/S MIG WIRE 309LSI-1.0MM          | PER KG/15 KG SPOOL    |  | 214.30 |
| 309LSI-1.2                             | TAURUS S/S MIG WIRE 309LSI-1.2MM          | PER KG/15 KG SPOOL    |  | 228.60 |
|                                        |                                           |                       |  |        |
| Stainless Steel : Grade 316LSI         |                                           |                       |  |        |
| 316LSI-0.8                             | TAURUS S/S MIG WIRE 316LSI-0.8MM          | PER KG/15 KG SPOOL    |  | 214.30 |
| 316LSI-0.9                             | TAURUS S/S MIG WIRE 316LSI-0.9MM          | PER KG/15 KG SPOOL    |  | 214.30 |
| 316LSI-1.0                             | TAURUS S/S MIG WIRE 316LSI-1.0MM          | PER KG/15 KG SPOOL    |  | 214.30 |
| 316LSI-1.2                             | TAURUS S/S MIG WIRE 316LSI-1.2MM          | PER KG/15 KG SPOOL    |  | 214.30 |
|                                        |                                           |                       |  |        |
| 316LSI-0.8-SM                          | TAURUS S/S MIG WIRE 316LSI-0.8MM-SMALL    | PER KG/5 KG SPOOL     |  | 250.00 |
| 316LSI-1.0-SM                          | TAURUS S/S MIG WIRE 316LSI-1.0MM-SMALL    | PER KG/5 KG SPOOL     |  | 250.00 |
|                                        |                                           |                       |  |        |
| Aluminium: Grade 4043                  |                                           |                       |  |        |
| 4043M-1.0                              | TAURUS ALUMINIUM MIG WIRE 4043-1.0MM      | PER KG/7 KG SPOOL     |  | 228.60 |
| 4043M-1.2                              | TAURUS ALUMINIUM MIG WIRE 4043-1.2MM      | PER KG/7 KG SPOOL     |  | 221.50 |
|                                        |                                           |                       |  |        |
| 4043-0.9-0.5KG                         | TAURUS ALUMIUM MIG WIRE 4043 0.9MM 0.5KG  | PER SPOOL/0.5KG SPOOL |  | 150.00 |
|                                        |                                           |                       |  |        |
| Aluminium: Grade 5356                  |                                           |                       |  |        |
| 5356M-1.0                              | TAURUS ALUMINIUM MIG WIRE 5356-1.0MM      | PER KG/7 KG SPOOL     |  | 228.60 |
| 5356M-1.2                              | TAURUS ALUMINIUM MIG WIRE 5356-1.2MM      | PER KG/7 KG SPOOL     |  | 221.50 |
|                                        |                                           |                       |  |        |
| Copper Alloy: Silicon Bronze Er Cusi-A |                                           |                       |  |        |
| ERCUSI-0.8                             | TAURUS SILICON BRONZE MIG WIRE-0.8MM-SM   | PER KG/5 KG SPOOL     |  | 578.60 |
| ERCUSI-1.0                             | TAURUS SILICON BRONZE MIG WIRE-1.0MM-SM   | PER KG/5 KG SPOOL     |  | 578.60 |
| ERCUSI-1.2                             | TAURUS SILICON BRONZE MIG WIRE-1.2MM      | PER KG/15 KG SPOOL    |  | 578.60 |
|                                        |                                           |                       |  |        |
| Taurus TIG Rods                        |                                           |                       |  |        |
| Mild Steel 70S-6                       |                                           |                       |  |        |
| ER70S-6-1.6                            | TAURUS MILD STEEL TIG ROD 70S-6-1.6MM     | PER KG/5 KG TUBE      |  | 51.50  |
| ER70S-6-2.0                            | TAURUS MILD STEEL TIG ROD 70S-6-2.0MM     | PER KG/5 KG TUBE      |  | 51.50  |
| ER70S-6-2.4                            | TAURUS MILD STEEL TIG ROD 70S-6-2.4MM     | PER KG/5 KG TUBE      |  | 51.50  |
| ER70S-6-3.2                            | TAURUS MILD STEEL TIG ROD 70S-6-3.2MM     | PER KG/5 KG TUBE      |  | 51.50  |
|                                        |                                           |                       |  |        |
| Stainless Steel Grade 308L             |                                           |                       |  |        |
| 308L-1.6                               | TAURUS S/S TIG ROD 308L-1.6MM             | PER KG/5 KG TUBE      |  | 171.50 |
| 308L-2.4                               | TAURUS S/S TIG ROD 308L-2.4MM             | PER KG/5 KG TUBE      |  | 171.50 |
|                                        |                                           |                       |  |        |
| Stainless Steel Grade 309L             |                                           |                       |  |        |
| 309L-1.6                               | TAURUS S/S TIG ROD 309L-1.6MM             | PER KG/5 KG TUBE      |  | 207.20 |
| 309L-2.4                               | TAURUS S/S TIG ROD 309L-2.4MM             | PER KG/5 KG TUBE      |  | 207.20 |
|                                        |                                           |                       |  |        |
| Stainless Steel Grade 316L             |                                           |                       |  |        |
| 316L-1.2                               | TAURUS S/S TIG ROD 316L-1.2MM             | PER KG/5 KG TUBE      |  | 214.30 |
| 316L-1.6                               | TAURUS S/S TIG ROD 316L-1.6MM             | PER KG/5 KG TUBE      |  | 207.20 |
| 316L-2.4                               | TAURUS S/S TIG ROD 316L-2.4MM             | PER KG/5 KG TUBE      |  | 207.20 |
| 316L-3.2                               | TAURUS S/S TIG ROD 316L-3.2MM             | PER KG/5 KG TUBE      |  | 207.20 |
|                                        |                                           |                       |  |        |
| Aluminium Grade 4043                   |                                           |                       |  |        |
| 4043T-1.6                              | TAURUS ALUMINIUM TIG ROD 4043-1.6MM       | PER KG/5 KG TUBE      |  | 221.50 |
| 4043T-2.4                              | TAURUS ALUMINIUM TIG ROD 4043-2.4MM       | PER KG/5 KG TUBE      |  | 207.20 |
| 4043T-3.2                              | TAURUS ALUMINIUM TIG ROD 4043-3.2MM       | PER KG/5 KG TUBE      |  | 207.20 |
|                                        |                                           |                       |  |        |
| Aluminium Grade 5356                   |                                           |                       |  |        |
| 5183T-2.4                              | TAURUS ALUMINIUM TIG ROD 5183-2.4MM       | PER KG/5 KG TUBE      |  | 207.20 |
|                                        |                                           |                       |  |        |
| Aluminium Grade 5356                   |                                           |                       |  |        |
| 5356T-1.6                              | TAURUS ALUMINIUM TIG ROD 5356-1.6MM       | PER KG/5 KG TUBE      |  | 221.50 |
| 5356T-2.4                              | TAURUS ALUMINIUM TIG ROD 5356-2.4MM       | PER KG/5 KG TUBE      |  | 207.20 |
| 5356T-3.2                              | TAURUS ALUMINIUM TIG ROD 5356-3.2MM       | PER KG/5 KG TUBE      |  | 207.20 |
|                                        |                                           |                       |  |        |
| Silicon Bronze Grade Ercusi            |                                           |                       |  |        |
| ERCUSI-T-2.4                           | TAURUS SILICON BRONZE TIG ROD 2.4MM       | PER KG/5KG TUBE       |  | 564.30 |
| ERCUSI-T-3.2                           | TAURUS SILICON BRONZE TIG ROD 3.2MM       |                       |  | 564.30 |
|                                        |                                           |                       |  |        |
| Taurus Gas Brazing Rods                |                                           |                       |  |        |
| Copper Coated Rod                      |                                           |                       |  |        |
| CCR16                                  | TAURUS CCR 1.6MM                          | PER KG/4 KG TUBE      |  | 51.50  |
| CCR24                                  | TAURUS CCR 2.4MM                          | PER KG/4 KG TUBE      |  | 51.50  |
| CCR32                                  | TAURUS CCR 3.2MM                          | PER KG/4 KG TUBE      |  | 51.50  |
|                                        |                                           |                       |  |        |
| Bronze Brazing Rod                     |                                           |                       |  |        |
| BBR-1.6                                | TAURUS BRONZE BRAZING ROD 1.6MM           | PER KG/5KG TUBE       |  | 464.30 |
| BBR-2.0                                | TAURUS BRONZE BRAZING ROD 2.0MM           | PER KG/5KG TUBE       |  | 464.30 |
| BBR-3.0                                | TAURUS BRONZE BRAZING ROD 3.0MM           | PER KG/5KG TUBE       |  | 464.30 |
|                                        |                                           |                       |  |        |
| BBRFC2.0MM                             | TAURUS FLUX COATED BRAZING ROD 2.0MM      | PER KG/1KG TUBE       |  | 564.30 |
| BBRFC3.0MM                             | TAURUS FLUX COATED BRAZING ROD 3.0MM      | PER KG/1KG TUBE       |  | 564.30 |
|                                        |                                           |                       |  |        |

| Taurus Fluxes           |                                           |                                     |  |           |
|-------------------------|-------------------------------------------|-------------------------------------|--|-----------|
| FLUX002T-BR5            | TAURUS BRAZING FLUX M15 (5000G)           | PER 0.5KG                           |  | 71.50     |
| FLUX003T-SS             | TAURUS SILVER SOLDER FLUX (250G)          | PER 0.25KG                          |  | 114.30    |
| FLUX004T-AL             | TAURUS ALUMINIUM BRAZING FLUX (250G)      | PER 0.25KG                          |  | 142.90    |
|                         |                                           |                                     |  |           |
| Copper to Copper        |                                           |                                     |  |           |
| FOSOP6-2.0              | COPPERBRAZE-0% AG 2.0MM-SQUARE            | PER KG/IKG                          |  | 557.20    |
| FOSOP6-3.0              | COPPERBRAZE-0% AG 3.0MM-SQUARE            | PER KG/IKG                          |  | 557.20    |
|                         |                                           |                                     |  |           |
| Silver Solder           |                                           |                                     |  |           |
| Bulk Price              |                                           |                                     |  |           |
| SISILVER30B-1.5         | SILVER SOLDER-30% AG BARE 1.5MM           | PER KG/ SOLD IN 500 GRAM INCREMENTS |  | 33,214.30 |
| SISILVER40B-1.5         | SILVER SOLDER-40% AG BARE 1.5MM           | PER KG/ SOLD IN 500 GRAM INCREMENTS |  | 44,214.30 |
|                         |                                           |                                     |  |           |
| SISILVER20FX1.5         | SILVER SOLDER-20% AG FX FLUX COATED 1.5MM | PER KG/ SOLD IN 500 GRAM INCREMENTS |  | 15,500.00 |
| SISILVER30FX1.5         | SILVER SOLDER-30% AG FX FLUX COATED 1.5MM | PER KG/ SOLD IN 500 GRAM INCREMENTS |  | 23,000.00 |
| SISILVER40FX1.5         | SILVER SOLDER-40% AG FX FLUX COATED 1.5MM | PER KG/ SOLD IN 500 GRAM INCREMENTS |  | 30,357.20 |
|                         |                                           |                                     |  |           |
| Pack Price              |                                           |                                     |  |           |
|                         |                                           |                                     |  |           |
| SISILVER30B-PK          | SILVER SOLDER-30% AG BARE 1.5MM           | PACK OF 12 STICKS                   |  | 3,571.50  |
| SISILVER40B-PK          | SILVER SOLDER-40% AG BARE 1.5MM           | PACK OF 12 STICKS                   |  | 4,571.50  |
|                         |                                           |                                     |  |           |
| SISILVER20FXPK          | SILVER SOLDER-20% AG FX FLUX COATED 1.5MM | PACK OF 7 STICKS                    |  | 1,642.90  |
| SISILVER30FXPK          | SILVER SOLDER-30% AG FX FLUX COATED 1.5MM | PACK OF 7 STICKS                    |  | 2,428.60  |
| SISILVER40FXPK          | SILVER SOLDER-40% AG FX FLUX COATED 1.5MM | PACK OF 7 STICKS                    |  | 3,142.90  |
|                         |                                           |                                     |  |           |
| Taurus Gouging Carbons  |                                           |                                     |  |           |
| Gouging Carbons         |                                           |                                     |  |           |
| GC-6.5-E                | TAURUS GOUGING CARBON 6.5 X 305MM         | EACH (50 PER BOX)                   |  | 6.50      |
| GC-8.0-E                | TAURUS GOUGING CARBON 8.0 X 305MM         | EACH (50 PER BOX)                   |  | 8.60      |
| GC-9.5-E                | TAURUS GOUGING CARBON 9.5 X 305MM         | EACH (50 PER BOX)                   |  | 10.00     |
|                         |                                           |                                     |  |           |
| Arc Welding Accessories |                                           |                                     |  |           |
|                         |                                           |                                     |  |           |
| Earth Clamps            |                                           |                                     |  |           |
| EC300                   | TAURUS EARTH CLAMP CROC TYPE -300A        | EACH                                |  | 40.00     |
| EC400                   | TAURUS EARTH CLAMP CROC TYPE - 400A       | EACH                                |  | 45.80     |
| EC500                   | TAURUS EARTH CLAMP CROC TYPE - 500A       | EACH                                |  | 68.60     |
| ECSTD60                 | TAURUS EARTH CLAMP SCREW TYPE - 600A      | EACH                                |  | 235.80    |
|                         |                                           |                                     |  |           |
| MEC500                  | TAURUS EARTH CLAMP MAGNETIC TYPE - 500A   | EACH                                |  | 121.50    |
|                         |                                           |                                     |  |           |
| Chipping hammers        |                                           |                                     |  |           |
| CH01                    | TAURUS CHIPPING HAMMER - HD               | EACH                                |  | 45.80     |
|                         |                                           |                                     |  |           |
| Electrode Holders       |                                           |                                     |  |           |
| WF-E3000                | TAURUS ELECTRODE HOLDER GERMAN 300A       | EACH                                |  | 105.80    |
| WF-E3001                | TAURUS ELECTRODE HOLDER GERMAN 400A       | EACH                                |  | 110.00    |
| WF-E3002                | TAURUS ELECTRODE HOLDER GERMAN 500A       | EACH                                |  | 121.50    |
| WF-E3003                | TAURUS ELECTRODE HOLDER GERMAN 600A       | EACH                                |  | 124.30    |
| WF-E3003-HD             | TAURUS ELECTRODE HOLDER GERMAN 600A -HD   | EACH                                |  | 245.80    |
| EHSM300                 | TAURUS ELECTRODE HOLDER SAMPSON 300A      | EACH                                |  | 108.60    |
| EHSM500                 | TAURUS ELECTRODE HOLDER SAMPSON 500A      | EACH                                |  | 121.50    |
| EHSM500-HD              | TAURUS ELECTRODE HOLDER SAMPSON 500A-HD   | EACH                                |  | 195.80    |
| EHSS40                  | TAURUS ELECTRODE HOLDER TWISTLOCK 400A    | EACH                                |  | 164.30    |
| EHTL600                 | TAURUS ELECTRODE HOLDER TWISTLOCK 600A    | EACH                                |  | 171.50    |
| EHOPT400-HD             | TAURUS OPTIMUS ELECTRODE HOLDER 400A HD   | EACH                                |  | 190.00    |
| KD300A                  | TAURUS ELECTRODE HOLDER KD300A            | EACH                                |  | 45.80     |
| KD500A                  | TAURUS ELECTRODE HOLDER KD500A            | EACH                                |  | 50.00     |
|                         |                                           |                                     |  |           |
| Cable Lugs              |                                           |                                     |  |           |
| CL35MM                  | TAURUS CABLE LUG 35MM X 10                | EACH                                |  | 9.30      |
| CL50MM                  | TAURUS CABLE LUG 50MM X 12                | EACH                                |  | 13.60     |
| CL70MM                  | TAURUS CABLE LUG 70MM X 12                | EACH                                |  | 20.00     |
|                         |                                           |                                     |  |           |
| Welding Cable           |                                           |                                     |  |           |
| WC25B                   | PVC WELDING CABLE - 25MM BLUE             | MT                                  |  | 125.80    |
| WC35GY                  | PVC WELDING CABLE - 35MM GREY             | MT                                  |  | 167.20    |
|                         |                                           |                                     |  |           |
| Wire Brushes            |                                           |                                     |  |           |
| WB5MSE                  | TAURUS WIRE BRUSH 5 ROW MILD STEEL ECON   | EACH                                |  | 22.90     |
| WB5SSE                  | TAURUS WIRE BRUSH 5 ROW STAINLESS ECON    | EACH                                |  | 41.50     |
|                         |                                           |                                     |  |           |
| Gouging Torches         |                                           |                                     |  |           |
| K4000                   | K4000 GOUGING TORCH                       | EACH                                |  | 2,142.90  |
|                         |                                           |                                     |  |           |
| Cable Connectors        |                                           |                                     |  |           |
| CX0040                  | CABLE CONNECTOR (25MM) FEMALE SOCKET      | EACH                                |  | 18.60     |
| CX0030                  | CABLE CONNECTOR (25MM) MACHINE SOCKET     | EACH                                |  | 18.60     |
| CX0020                  | CABLE CONNECTOR (25MM) MALE PLUG          | EACH                                |  | 18.60     |
| CX0042                  | CABLE CONNECTOR (35-50MM) FEMALE SOCKET   | EACH                                |  | 45.80     |
| CX0058                  | CABLE CONNECTOR (35-50MM) MACHINE SOCKET  | EACH                                |  | 45.80     |
| CX0022                  | CABLE CONNECTOR (35-50MM) MALE PLUG       | EACH                                |  | 45.80     |
| CX0022-70MM-HD          | TAURUS 70MM MALE CABLE CONNECTOR HD       | EACH                                |  | 91.50     |
| CX0042-70MM-HD          | TAURUS 70MM FEMALE CABLE CONNECTOR HD     | EACH                                |  | 77.20     |
| CX0058-70MM-HD          | TAURUS 70MM MACHINE SOCKET HD             | EACH                                |  | 68.60     |
|                         |                                           |                                     |  |           |
| Welding Magnets         |                                           |                                     |  |           |
| WM-11KG                 | WELDING MAGNET - 11KG - 16 X 12 X 1.2 CM  | EACH                                |  | 34.30     |

|                                                             |                                                           |      |  |          |
|-------------------------------------------------------------|-----------------------------------------------------------|------|--|----------|
| WM-22KG                                                     | WELDING MAGNET - 22KG - 24 X 13.8 X 2 CM                  | EACH |  | 57.20    |
| WM-33KG                                                     | WELDING MAGNET - 33KG - 25 X 17 X 3.8 CM                  | EACH |  | 100.00   |
|                                                             |                                                           |      |  |          |
| Boiler makers Chalk                                         |                                                           |      |  |          |
| CHALK                                                       | BOILER MAKERS CHALK - 144 PIECE                           | EACH |  | 307.20   |
|                                                             |                                                           |      |  |          |
| Pickling and Passivating Paste                              |                                                           |      |  |          |
| PELO01                                                      | PELOX TSK GREEN PICKLE PASTE 1 KG                         | EACH |  | 328.60   |
| PELO02                                                      | PELOX TSK GREEN PICKLE PASTE 2 KG                         | EACH |  | 550.00   |
|                                                             |                                                           |      |  |          |
| PELO10                                                      | PELOX PASSIVATION 2KG                                     | EACH |  | 357.20   |
|                                                             |                                                           |      |  |          |
| PELO15                                                      | TIARA STAINLESS STEEL CLEANER 180G                        | EACH |  | 142.90   |
| PELO16                                                      | TIARA STAINLESS STEEL CLEANER 1KG                         | EACH |  | 428.60   |
|                                                             |                                                           |      |  |          |
| PELO20                                                      | PICKLE BRUSH SMALL ROUND TIP                              | EACH |  | 54.30    |
| PELO21                                                      | PELOX PICKLE BRUSH 1" (25MM)                              | EACH |  | 164.30   |
|                                                             |                                                           |      |  |          |
| Crack Detector                                              |                                                           |      |  |          |
| SPRAY03                                                     | HERSCHELL WELD CLEANER A 400ML                            | EACH |  | 118.60   |
| SPRAY04                                                     | HERSCHELL DYE PENETRANT B 400ML                           | EACH |  | 118.60   |
| SPRAY05                                                     | HERSCHELL DEVELOPER C 400ML                               | EACH |  | 118.60   |
| TA-SPRAY03                                                  | TAURUS FLAW DETECTOR CLEANER 325ML                        | EACH |  | 81.50    |
| TA-SPRAY04                                                  | TAURUS FLAW DETECTOR DEVELOPER 325ML                      | EACH |  | 81.50    |
| TA-SPRAY05                                                  | TAURUS FLAW DETECTOR PENETRENT 325ML                      | EACH |  | 81.50    |
|                                                             |                                                           |      |  |          |
| Anti Spatter                                                |                                                           |      |  |          |
| SPRAY01                                                     | TAURUS ANTI SPATTER 500ML-SILICON                         | EACH |  | 77.20    |
| SPRAY02-FREE                                                | TAURUS ANTI SPATTER 500ML -NON SILICON                    | EACH |  | 77.20    |
| TA-SPRAY01                                                  | TAURUS ANTI SPATTER 400ML-SILICON                         | EACH |  | 62.90    |
| TA-SPRAY02                                                  | TAURUS ANTI SPATTER 300ML -NON SILICON                    | EACH |  | 62.90    |
|                                                             |                                                           |      |  |          |
| TA-SPRAY06                                                  | TAURUS ENGINEERING MARKING BLUE                           | EACH |  | 91.50    |
|                                                             |                                                           |      |  |          |
| Gas Equipment                                               |                                                           |      |  |          |
|                                                             |                                                           |      |  |          |
| Cutting torches                                             |                                                           |      |  |          |
| CTT-HD                                                      | TAURUS UNIVERSAL CUTTING TORCH-HD                         | EACH |  | 928.60   |
| CTT-HD-1000MM                                               | TAURUS UNIVERSAL CUTTING TORCH HD - 3/8 - 1000MM          | EACH |  | 1,357.20 |
| CTT-HD-SN                                                   | TAURUS UNIVERSAL STRAIGHT CUTTING TORCH HD -180 DEG       | EACH |  | 928.60   |
| CTT-HD-SN-1000                                              | TAURUS UNIVERSAL STRAIGHT CUTTING TORCH - 180 DEG -1000MM | EACH |  | 1,357.20 |
|                                                             |                                                           |      |  |          |
| CTT-HD-TN                                                   | TAURUS TIP NUT - UNIVERSAL CUTTING TORCH                  | EACH |  | 57.2     |
|                                                             |                                                           |      |  |          |
| SH001                                                       | TAURUS UNIVERSAL SHANK                                    | EACH |  | 607.20   |
| SH002                                                       | TAURUS UNIVERSAL SHANK - ERGONOMICAL                      | EACH |  | 500.00   |
|                                                             |                                                           |      |  |          |
| CA003                                                       | TAURUS UNIVERSAL CUTTING ATTACHMENT                       | EACH |  | 628.60   |
|                                                             |                                                           |      |  |          |
| M0002                                                       | TAURUS UNIVERSAL MIXER                                    | EACH |  | 185.80   |
| M0003                                                       | TAURUS HIGH CAPACITY MIXER                                | EACH |  | 200.00   |
|                                                             |                                                           |      |  |          |
| AHT-HN                                                      | TAURUS AHT HEATING NECK                                   | EACH |  | 114.3    |
|                                                             |                                                           |      |  |          |
| SSNT-1000MM                                                 | TAURUS S/S NECK TUBE - 1000MM                             | EACH |  | 357.20   |
|                                                             |                                                           |      |  |          |
| Cutting Kits                                                |                                                           |      |  |          |
| CK01                                                        | TAURUS CUTTING & WELDING KIT                              | EACH |  | 3,214.30 |
|                                                             |                                                           |      |  |          |
| Straight cutters                                            |                                                           |      |  |          |
| CG-130                                                      | CG-130 STRAIGHT LINE CUTTER 220V INCL 1.8MT TRACK         | EACH |  | 8,500.00 |
|                                                             | CUTTING THICKNESS - 6-100MM                               |      |  |          |
|                                                             | CUTTING SPEED- 50-750 MM/MIN                              |      |  |          |
|                                                             | CIRCLE CUT DIAMTER - 200 - 2000MM                         |      |  |          |
|                                                             | NET WEIGHT - 15KG                                         |      |  |          |
|                                                             |                                                           |      |  |          |
| CG-130-11                                                   | CG-130 SPARE PART #11 - CUTTING TORCH                     |      |  | 571.50   |
| CG-130-14                                                   | CG-130 SPARE PART #14 - ACETYLENE HOSE                    |      |  | 157.20   |
| CG-130 -15                                                  | CG-130 SPARE PART #15 - OXYGEN HOSE                       |      |  | 157.20   |
| CG-130 -16                                                  | CG-130 SPARE PART #16 - GAS DISTRIBUTOR ASSEMBLY          |      |  | 857.20   |
| CG-130-24                                                   | CG-130 SPARE PART #24 - OXYGEN 2-WAY VALVE ASSEMBLY       |      |  | 200.00   |
| CG-130-27                                                   | CG-130 SPARE PART #27 - ACETYLENE 2-WAY VALVE ASSEMBLY    |      |  | 200.00   |
|                                                             |                                                           |      |  |          |
|                                                             |                                                           |      |  |          |
| TRACK01                                                     | TAURUS TRACK FOR CG1-30-1.8M                              |      |  | 1,642.90 |
|                                                             |                                                           |      |  |          |
| LPG Gas Heating Torches and Neck Tubes (Sievert Equivalent) |                                                           |      |  |          |
| LPG-TH001                                                   | TAURUS LPG TORCH HANDLE - NO ECONOMISER                   | EACH |  | 378.60   |
| LPG-TH002                                                   | TAURUS LPG TORCH HANDLE WITH ECONOMISER                   | EACH |  | 528.60   |
|                                                             |                                                           |      |  |          |
| LPG-NT-70MM                                                 | TAURUS LPG NECK TUBE - 70MM                               | EACH |  | 128.60   |
| LPG-NT-180MM                                                | TAURUS LPG NECK TUBE - 180MM                              | EACH |  | 242.90   |
| LPG-NT-750MM                                                | TAURUS LPG NECK TUBE - 750MM                              | EACH |  | 407.20   |
|                                                             |                                                           |      |  |          |
| LPG Regulators                                              |                                                           |      |  |          |
| LPGREG                                                      | TAURUS REGULATOR-LPG-SINGLE STAGE-2GAUGE                  | EACH |  | 642.90   |
| LPGREG-1G-H                                                 | TAURUS LPG REGULATOR - 1 GAUGE - HEATING                  | EACH |  | 264.30   |
| LPGREG-BN-LP                                                | TAURUS BULLNOSE LPG REG LOW PRESSURE                      | EACH |  | 117.86   |
|                                                             |                                                           |      |  |          |
|                                                             |                                                           |      |  |          |
| Regulators                                                  |                                                           |      |  |          |
| DAREG                                                       | TAURUS REGULATOR-ACY-SINGLE STAGE-2GAUGE                  | EACH |  | 564.30   |

|                                          |                                                    |      |  |          |
|------------------------------------------|----------------------------------------------------|------|--|----------|
| O2REG                                    | TAURUS REGULATOR-OXY-SINGLE STAGE-2GAUGE           | EACH |  | 564.30   |
| N2REG                                    | TAURUS REGULATOR-NITROGEN-SINGLE STAGE-2GAUGE      | EACH |  | 642.90   |
|                                          |                                                    |      |  |          |
| DS/DAREG                                 | TAURUS REGULATOR-ACY-MULTI STAGE-2GAUGE            | EACH |  | 1,357.20 |
| DS/O2REG                                 | TAURUS REGULATOR-OXY-MULTI STAGE-2GAUGE            | EACH |  | 1,357.20 |
|                                          |                                                    |      |  |          |
| Flow Meters                              |                                                    |      |  |          |
| ARGFLBR-HD                               | TAURUS FLOWMETER REGULATOR HEAVY DUTY              | EACH |  | 914.30   |
| ARGFLSTD                                 | TAURUS FLOWMETER CHROMED BRASS BODY                | EACH |  | 542.90   |
| ARGFLBR-MD                               | TAURUS FLOWMETER REGULATOR MEDIUM DUTY             | EACH |  | 357.20   |
| ARGFLCR                                  | TAURUS FLOWMETER ECONOMY                           | EACH |  | 278.60   |
| ARGFLDO                                  | TAURUS FLOWMETER DOUBLE OUTLET                     | EACH |  | 857.20   |
|                                          |                                                    |      |  |          |
| Y Pieces                                 |                                                    |      |  |          |
| YP-ACY-3/8                               | TAURUS ACETYLENE Y PIECE WITH VALVE 3/8            | EACH |  | 150.00   |
| YP-OXY-3/8                               | TAURUS OXTGEN Y PIECE WITH VALVE 3/8               | EACH |  | 214.30   |
|                                          |                                                    |      |  |          |
| Flashback Arrestors                      |                                                    |      |  |          |
|                                          |                                                    |      |  |          |
| HD288L                                   | TAURUS FLASHBACK ARRESTOR-ACY-REG-3/8 HEAVY DUTY   | EACH |  | 178.60   |
| HD188L                                   | TAURUS FLASHBACK ARRESTOR-ACY-TORCH-3/8 HEAVY DUTY | EACH |  | 178.60   |
| HD288R                                   | TAURUS FLASHBACK ARRESTOR-OXY-REG-3/8 HEAVY DUTY   | EACH |  | 178.60   |
| HD188R                                   | TAURUS FLASHBACK ARRESTOR-OXY-TORCH-3/8 HEAVY DUTY | EACH |  | 178.60   |
|                                          |                                                    |      |  |          |
| QC-HD188L-3/8                            | TAURUS QUICK RELEASE ACETYLENE TORCH               | EACH |  | 178.60   |
| QC-HD188R-3/8                            | TAURUS QUICK RELEASE OXYGEN TORCH                  | EACH |  | 178.60   |
| QC-HD288L-3/8                            | TAURUS QUICK RELEASE ACETYLENE REGULATOR           | EACH |  | 178.60   |
| QC-HD288R-3/8                            | TAURUS QUICK RELEASE OXYGEN REGULATOR              | EACH |  | 178.60   |
|                                          |                                                    |      |  |          |
| 6290 Cutting Nozzles Acetylene Flat Base |                                                    |      |  |          |
| AC-1                                     | TAURUS AC-1 CUTTING NOZZLE-6290                    | EACH |  | 45.80    |
| AC-3                                     | TAURUS AC-3 CUTTING NOZZLE-6290                    | EACH |  | 45.80    |
| AC-4                                     | TAURUS AC-4 CUTTING NOZZLE-6290                    | EACH |  | 45.80    |
| AC-6                                     | TAURUS AC-6 CUTTING NOZZLE-6290                    | EACH |  | 45.80    |
|                                          |                                                    |      |  |          |
| 6290 Cutting Nozzles LPG Flat Base       |                                                    |      |  |          |
| NX0                                      | TAURUS LPG NX 0 CUTTING NOZZLE-6290                | EACH |  | 54.30    |
| NX1                                      | TAURUS LPG NX 1 CUTTING NOZZLE-6290                | EACH |  | 54.30    |
| NX2                                      | TAURUS LPG NX 2 CUTTING NOZZLE-6290                | EACH |  | 54.30    |
| NX3                                      | TAURUS LPG NX 3 CUTTING NOZZLE-6290                | EACH |  | 54.30    |
| NX4                                      | TAURUS LPG NX 4 CUTTING NOZZLE-6290                | EACH |  | 54.30    |
|                                          |                                                    |      |  |          |
| 2890 F Series Acetylene Cutting Nozzles  |                                                    |      |  |          |
| H0F                                      | TAURUS 0F CUTTING NOZZLE                           | EACH |  | 114.30   |
| H1F                                      | TAURUS 1F CUTTING NOZZLE                           | EACH |  | 114.30   |
| H2F                                      | TAURUS 2F CUTTING NOZZLE                           | EACH |  | 114.30   |
| H3F                                      | TAURUS 3F CUTTING NOZZLE                           | EACH |  | 114.30   |
| H4F                                      | TAURUS 4F CUTTING NOZZLE                           | EACH |  | 114.30   |
| H5F                                      | TAURUS 5F CUTTING NOZZLE                           | EACH |  | 114.30   |
|                                          |                                                    |      |  |          |
| Universal Type : Acetylene-Short Pattern |                                                    |      |  |          |
| ANM0.8                                   | TAURUS ANM 0.8 CUTTING NOZZLE (1/32)               | EACH |  | 94.30    |
| ANM1.2                                   | TAURUS ANM 1.2 CUTTING NOZZLE (3/64)               | EACH |  | 94.30    |
| ANM1.6                                   | TAURUS ANM 1.6 CUTTING NOZZLE (1/16)               | EACH |  | 94.30    |
| ANM2.0                                   | TAURUS ANM 2.0 CUTTING NOZZLE (5/64)               | EACH |  | 94.30    |
| ANM2.4                                   | TAURUS ANM 2.4 CUTTING NOZZLE (3/32)               | EACH |  | 94.30    |
| ANM3.2                                   | TAURUS ANM 3.2 CUTTING NOZZLE (1/8)                | EACH |  | 94.30    |
|                                          |                                                    |      |  |          |
| Universal Type : Acetylene-Long Pattern  |                                                    |      |  |          |
| ANME0.8                                  | TAURUS ANME 0.8 CUTTING NOZZLE                     | EACH |  | 97.20    |
| ANME1.2                                  | TAURUS ANME 1.2 CUTTING NOZZLE                     | EACH |  | 97.20    |
| ANME1.6                                  | TAURUS ANME 1.6 CUTTING NOZZLE                     | EACH |  | 97.20    |
| ANME2.0                                  | TAURUS ANME 2.0 CUTTING NOZZLE                     | EACH |  | 97.20    |
| ANME2.4                                  | TAURUS ANME 2.4 CUTTING NOZZLE                     | EACH |  | 97.20    |
|                                          |                                                    |      |  |          |
| Universal Type : LPG-Short Pattern       |                                                    |      |  |          |
| PNM0.8                                   | TAURUS PNM 0.8 CUTTING NOZZLE                      | EACH |  | 65.80    |
| PNM1.2                                   | TAURUS PNM 1.2 CUTTING NOZZLE                      | EACH |  | 65.80    |
| PNM1.6                                   | TAURUS PNM 1.6 CUTTING NOZZLE                      | EACH |  | 65.80    |
| PNM2.0                                   | TAURUS PNM 2.0 CUTTING NOZZLE                      | EACH |  | 65.80    |
| PNM2.4                                   | TAURUS PNM 2.4 CUTTING NOZZLE                      | EACH |  | 65.80    |
| PNM3.2                                   | TAURUS PNM 3.2 CUTTING NOZZLE                      | EACH |  | 65.80    |
|                                          |                                                    |      |  |          |
| Universal Type : LPG-Long Pattern        |                                                    |      |  |          |
| PNME0.8                                  | TAURUS PNME 0.8 CUTTING NOZZLE                     | EACH |  | 68.60    |
| PNME1.2                                  | TAURUS PNME 1.2 CUTTING NOZZLE                     | EACH |  | 68.60    |
| PNME1.6                                  | TAURUS PNME 1.6 CUTTING NOZZLE                     | EACH |  | 68.60    |
| PNME2.0                                  | TAURUS PNME 2.0 CUTTING NOZZLE                     | EACH |  | 68.60    |
| PNME2.4                                  | TAURUS PNME 2.4 CUTTING NOZZLE                     | EACH |  | 68.60    |
| PNME2.8                                  | TAURUS PNME 2.8 CUTTING NOZZLE                     | EACH |  | 68.60    |
|                                          |                                                    |      |  |          |
| Taurus Welding Nozzles - Universal Type  |                                                    |      |  |          |
| MK2-1                                    | TAURUS BRAZING NOZZLE MK2 SWAGED 1                 | EACH |  | 57.20    |
| MK2-3                                    | TAURUS BRAZING NOZZLE MK2 SWAGED 3                 | EACH |  | 71.50    |
| MK2-5                                    | TAURUS BRAZING NOZZLE MK2 SWAGED 5                 | EACH |  | 71.50    |
| MK2-7                                    | TAURUS BRAZING NOZZLE MK2 SWAGED 7                 | EACH |  | 71.50    |
| MK2-10                                   | TAURUS BRAZING NOZZLE MK2 SWAGED 10                | EACH |  | 85.80    |
|                                          |                                                    |      |  |          |
| Taurus Heating Nozzles                   |                                                    |      |  |          |
| HN2                                      | TAURUS HN2 HEATING NOZZLE 2H                       | EACH |  | 214.30   |
| HN3                                      | TAURUS HN3 HEATING NOZZLE 3H                       | EACH |  | 321.50   |
| HN4                                      | TAURUS HN4 HEATING NOZZLE 4H                       | EACH |  | 500.00   |

|                                          |                                                     |                     |  |        |
|------------------------------------------|-----------------------------------------------------|---------------------|--|--------|
| HN5                                      | TAURUS HN5 HEATING NOZZLE 5H                        | EACH                |  | 707.20 |
|                                          |                                                     |                     |  |        |
| Taurus LPG Heating Nozzles               |                                                     |                     |  |        |
| LPG-B-19MM                               | TAURUS LPG BURNER - 19MM                            | EACH                |  | 121.50 |
| LPG-B-25MM                               | TAURUS LPG BURNER - 25MM                            | EACH                |  | 142.90 |
| LPG-B-29MM                               | TAURUS LPG BURNER - 29MM                            | EACH                |  | 150.00 |
| LPG-B-32MM                               | TAURUS LPG BURNER - 32MM                            | EACH                |  | 185.80 |
| LPG-B-42MM                               | TAURUS LPG BURNER - 42MM                            | EACH                |  | 278.60 |
|                                          |                                                     |                     |  |        |
| Taurus AHT Heating Nozzles               |                                                     |                     |  |        |
|                                          |                                                     |                     |  |        |
| AHT-25N                                  | TAURUS AHT HEATING NOZZLE #25                       | EACH                |  | 114.30 |
| AHT-50N                                  | TAURUS AHT HEATING NOZZLE #50                       | EACH                |  | 114.30 |
| AHT-100N                                 | TAURUS AHT HEATING NOZZLE #100                      | EACH                |  | 114.30 |
|                                          |                                                     |                     |  |        |
| Gas and Cutting Accessories              |                                                     |                     |  |        |
| TC-09                                    | TAURUS NOZZLE CLEANER                               | EACH                |  | 25.80  |
| TFL                                      | TAURUS TRIPLE FLINT LIGHTER                         | EACH                |  | 27.90  |
| TFS                                      | TAURUS TRIPLE FLINT SPARE                           | EACH (10 PER PACK)  |  | 6.00   |
|                                          |                                                     |                     |  |        |
| DANT                                     | TAURUS NUT (3/8")-LH-ACETYLENE                      | EACH (5 PER PACK)   |  | 14.30  |
| O2NT                                     | TAURUS NUT (3/8") -RH-OXYGEN                        | EACH (5 PER PACK)   |  | 14.30  |
| TP8MM                                    | TAURUS TAILPIECE-8MM HOSE FOR 3/8"                  | EACH (5 PER PACK)   |  | 14.30  |
| HOSE-CON                                 | TAURUS 8MM HOSE CONNECTOR                           | EACH (5 PER PACK)   |  | 28.60  |
|                                          |                                                     |                     |  |        |
| ACNUT-HS                                 | TAURUS NUT (9/16")-LH-ACETYLENE                     | EACH (5 PER PACK)   |  | 14.30  |
| OXYNUT-HS                                | TAURUS NUT (9/16")-RH-OXYGEN                        | EACH (5 PER PACK)   |  | 14.30  |
| TPHS                                     | TAURUS TAILPIECE-8MM HOSE FOR 9/16"                 | EACH (5 PER PACK)   |  | 14.30  |
|                                          |                                                     |                     |  |        |
| BN/O2NUT                                 | TAURUS BULLNOSE NUT - OXYGEN                        | EACH                |  | 71.50  |
| BN/ACNUT                                 | TAURUS BULLNOSE NUT - ACETYLENE                     | EACH                |  | 71.50  |
| BNN001                                   | TAURUS BULLNOSE NUT - NITROGEN                      | EACH                |  | 107.20 |
| BN/STEM                                  | TAURUS BULLNOSE STEM - S/S REGS                     | EACH                |  | 85.80  |
|                                          |                                                     |                     |  |        |
| CO2-ADAPTOR                              | CO2 TO ARGON ADAPTOR + WASHER                       | EACH                |  | 164.30 |
|                                          |                                                     |                     |  |        |
| Gas Hose                                 |                                                     |                     |  |        |
| GW90040                                  | TAURUS GAS HOSE ACETYLENE-6MM-RED                   | PER MT/100M ROLL    |  | 22.90  |
| GW90140                                  | TAURUS GAS HOSE OXYGEN-6MM-BLUE                     | PER MT/100M ROLL    |  | 22.90  |
| GW90050                                  | TAURUS GAS HOSE ACETYLENE-8MM-RED                   | PER MT/100M ROLL    |  | 29.30  |
| GW90150                                  | TAURUS GAS HOSE OXYGEN-8MM-BLUE                     | PER MT/100M ROLL    |  | 29.30  |
| GW90250                                  | TAURUS GAS HOSE LPG/PROPANE-8MM-ORANGE              | PER MT/100M ROLL    |  | 34.30  |
| VAGT812PVC                               | TAURUS ARGON/COMPRESSOR HOSE-8MM-CLEAR              | PER MT/100M ROLL    |  | 14.30  |
|                                          |                                                     |                     |  |        |
| GW90040                                  | TAURUS GAS HOSE ACETYLENE-6MM-RED                   | PER MT/ CUT LENGTHS |  | 25.80  |
| GW90140                                  | TAURUS GAS HOSE OXYGEN-6MM-BLUE                     | PER MT/ CUT LENGTHS |  | 25.80  |
| GW90050                                  | TAURUS GAS HOSE ACETYLENE-8MM-RED                   | PER MT/ CUT LENGTHS |  | 32.90  |
| GW90150                                  | TAURUS GAS HOSE OXYGEN-8MM-BLUE                     | PER MT/ CUT LENGTHS |  | 32.90  |
| GW90250                                  | TAURUS GAS HOSE LPG/PROPANE-8MM-ORANGE              | PER MT/ CUT LENGTHS |  | 38.60  |
| VAGT812PVC                               | TAURUS ARGON/COMPRESSOR HOSE-8MM-CLEAR              | PER MT/ CUT LENGTHS |  | 15.80  |
|                                          |                                                     |                     |  |        |
| Hose Fittings/Clamps                     |                                                     |                     |  |        |
| 02.30.501.2                              | OETIKER CLAMP 13-15 - 2 EAR - 6MM HOSE              | EACH                |  | 5.00   |
| 02.30.501.4                              | OETIKER CLAMP 15-18 - 2 EAR - 8MM HOSE              | EACH                |  | 6.30   |
| PC01                                     | PARALLEL CLAMP-8MM                                  | EACH                |  | 5.80   |
|                                          |                                                     |                     |  |        |
| Taurus Minipak (Porta Pack)              |                                                     |                     |  |        |
| Minipak Regulators                       |                                                     |                     |  |        |
|                                          |                                                     |                     |  |        |
| MPO2REG                                  | TAURUS MINIPAK REGULATOR-O2-1 STAGE-2G-1            | EACH                |  | 642.90 |
| MPDAREG                                  | TAURUS MINIPAK REGULATOR-DA-1 STAGE-2G-1            | EACH                |  | 642.90 |
|                                          |                                                     |                     |  |        |
| Minipak Shanks/Cutting Attachments/FBA's |                                                     |                     |  |        |
|                                          |                                                     |                     |  |        |
| SH001-MP                                 | TAURUS MINIPAK SHANK                                | EACH                |  | 642.90 |
|                                          |                                                     |                     |  |        |
| CA001-MP                                 | TAURUS MINIPAK CUTTING ATTACHMENT                   | EACH                |  | 785.80 |
|                                          |                                                     |                     |  |        |
| M0001-MP                                 | TAURUS MINIPAK MIXER                                | EACH                |  | 171.50 |
|                                          |                                                     |                     |  |        |
| FBAL-MP                                  | TAURUS MP FLASHBACK ARRESTOR-ACY-REG-1/4            | EACH                |  | 142.90 |
| FBAR-MP                                  | TAURUS MP FLASHBACK ARRESTOR-OXY-REG-1/4            | EACH                |  | 142.90 |
|                                          |                                                     |                     |  |        |
| Minipak Brazing and Cutting nozzles      |                                                     |                     |  |        |
|                                          |                                                     |                     |  |        |
| AFN-0.8-MP                               | TAURUS MINIPAK AFN 0.8 CUTTING NOZZLE               | EACH                |  | 85.80  |
| AFN-1.2-MP                               | TAURUS MINIPAK AFN 1.2 CUTTING NOZZLE               | EACH                |  | 85.80  |
| AFN-1.6-MP                               | TAURUS MINIPAK AFN 1.6 CUTTING NOZZLE               | EACH                |  | 85.80  |
|                                          |                                                     |                     |  |        |
| DH2                                      | TAURUS MINIPAK BRAZING NOZZLE DH 2                  | EACH                |  | 57.20  |
| DH3                                      | TAURUS MINIPAK BRAZING NOZZLE DH 3                  | EACH                |  | 57.20  |
| DH5                                      | TAURUS MINIPAK BRAZING NOZZLE DH 5                  | EACH                |  | 57.20  |
| DH7                                      | TAURUS MINIPAK BRAZING NOZZLE DH 7                  | EACH                |  | 57.20  |
|                                          |                                                     |                     |  |        |
| Minipak Accessories                      |                                                     |                     |  |        |
|                                          |                                                     |                     |  |        |
| OXYNUT-MP                                | TAURUS MINIPAK NUT (1/4)-RH-OXYGEN                  | EACH                |  | 14.30  |
| ACNUT-MP                                 | TAURUS MINIPAK NUT (1/4)-LH-ACETYLENE               | EACH                |  | 14.30  |
| TP6MM-MP                                 | TAURUS MINIPAK TAILPIECE-6MM HOSE FOR 1/            | EACH                |  | 14.30  |
| BN/O2NUT-MP                              | TAURUS MINIPAK BULLNOSE NUT - OXYGEN                | EACH                |  | 42.90  |
| BN/AC-KIT-MP                             | TAURUS MINIPAK BULLNOSE NUT/STEM/O-RING - ACETYLENE | EACH                |  | 121.50 |
| BN/ACNUT-MP                              | TAURUS MINIPAK BULLNOSE NUT - ACETYLENE             | EACH                |  | 42.90  |

|                            |                                                  |                     |  |           |
|----------------------------|--------------------------------------------------|---------------------|--|-----------|
| BN/O2-KIT-MP               | TAURUS MINIPAK BULLNOSE NUT/STEM/O-RING - OXYGEN | EACH                |  | 121.50    |
| BN/O-MP                    | TAURUS MINIPAK BULLNOSE O-RING - OXY/ACY         | EACH                |  | 28.60     |
|                            |                                                  |                     |  |           |
| Minipak Hose & clamps      |                                                  |                     |  |           |
|                            |                                                  |                     |  |           |
| GW90040                    | TAURUS GAS HOSE ACETYLENE-6MM-RED                | PER MT/100M ROLL    |  | 22.90     |
| GW90140                    | TAURUS GAS HOSE OXYGEN-6MM-BLUE                  | PER MT/100M ROLL    |  | 22.90     |
|                            |                                                  |                     |  |           |
| GW90040                    | TAURUS GAS HOSE ACETYLENE-6MM-RED                | PER MT/ CUT LENGTHS |  | 25.80     |
| GW90140                    | TAURUS GAS HOSE OXYGEN-6MM-BLUE                  | PER MT/ CUT LENGTHS |  | 25.80     |
|                            |                                                  |                     |  |           |
| 02.30.501.2                | OETIKER CLAMP 13-15 - 2 EAR - 6MM HOSE           | EACH                |  | 5.00      |
|                            |                                                  |                     |  |           |
|                            |                                                  |                     |  |           |
| Mig Torches and Spares     |                                                  |                     |  |           |
|                            |                                                  |                     |  |           |
| Mig Torches                |                                                  |                     |  |           |
| BZ15.4M                    | TAURUS BZ15 MIG TORCH X 4M                       | EACH                |  | 1,000.00  |
| BZ25.4M                    | TAURUS BZ25 MIG TORCH X 4M                       | EACH                |  | 1,285.80  |
| BZ36.4M                    | TAURUS BZ36 MIG TORCH X 4M                       | EACH                |  | 1,828.60  |
| BZ40.4M                    | TAURUS BZ40 MIG TORCH X 4M                       | EACH                |  | 2,842.90  |
| BZ501.4M                   | TAURUS BZ501 WATER COOLED MIG TORCH X 4M         | EACH                |  | 2,500.00  |
|                            |                                                  |                     |  |           |
| PPA3645-80E                | TAURUS PP36 PUSH PULL TORCH 8MT                  | EACH                |  | 25,000.00 |
|                            |                                                  |                     |  |           |
| T4E.4M                     | TAURUS TWECO 4 MIG TORCH X 4M EURO               | EACH                |  | 2,500.00  |
|                            |                                                  |                     |  |           |
| BZ25.4M-E                  | iWELD ECONO BZ25 MIG TORCH X 4M                  | EACH                |  | 964.30    |
| BZ36.4M-E                  | iWELD ECONO BZ36 MIG TORCH X 4M                  | EACH                |  | 1,357.20  |
| BZ40.4M-E                  | iWELD ECONO BZ40 MIG TORCH X 4M                  | EACH                |  | 1,928.60  |
|                            |                                                  |                     |  |           |
| Conductor Tubes/Swan Necks |                                                  |                     |  |           |
| 02.06.15                   | BZ 15 CONDUCTOR TUBE                             | EACH                |  | 92.90     |
| 02.06.25                   | BZ 25 CONDUCTOR TUBE                             | EACH                |  | 200.00    |
| 02.06.36                   | BZ 36 CONDUCTOR TUBE                             | EACH                |  | 278.60    |
| 02.06.40                   | BZ 40 CONDUCTOR TUBE                             | EACH                |  | 407.20    |
| 02.06.501                  | BZ 501 CONDUCTOR TUBE                            | EACH                |  | 442.90    |
|                            |                                                  |                     |  |           |
| 01.64A60                   | MOD 4 CONDUCTOR TUBE                             | EACH                |  | 200.00    |
|                            |                                                  |                     |  |           |
| Washers/Insulators         |                                                  |                     |  |           |
| 02.03.501                  | BZ 501 WASHER                                    | EACH                |  | 2.90      |
|                            |                                                  |                     |  |           |
| Contact Tips               |                                                  |                     |  |           |
| M6-0.8                     | TAURUS BZ CONTACT TIP M6 - 0.8MM                 | EACH (10 PER PACK)  |  | 7.80      |
| M6-0.9                     | TAURUS BZ CONTACT TIP M6 - 0.9MM                 | EACH (10 PER PACK)  |  | 7.80      |
| M6-1.00                    | TAURUS BZ CONTACT TIP M6 - 1.0MM                 | EACH (10 PER PACK)  |  | 7.80      |
| M6-1.20                    | TAURUS BZ CONTACT TIP M6 - 1.2MM                 | EACH (10 PER PACK)  |  | 7.80      |
| M6-1.4                     | TAURUS BZ CONTACT TIP M6 - 1.4MM                 | EACH (10 PER PACK)  |  | 7.80      |
| M6-1.60                    | TAURUS BZ CONTACT TIP M6 - 1.6MM                 | EACH (10 PER PACK)  |  | 7.80      |
|                            |                                                  |                     |  |           |
| M6-0.8-E                   | iWELD BZ CONTACT TIP M6 - 0.8MM - ECONOMY        | EACH                |  | 5.50      |
| M6-0.9-E                   | iWELD BZ CONTACT TIP M6 - 0.9MM - ECONOMY        | EACH                |  | 5.50      |
| M6-1.00-E                  | iWELD BZ CONTACT TIP M6 - 1.0MM - ECONOMY        | EACH                |  | 5.50      |
| M6-1.20-E                  | iWELD BZ CONTACT TIP M6 - 1.2MM - ECONOMY        | EACH                |  | 5.50      |
|                            |                                                  |                     |  |           |
| M8-0.8                     | TAURUS BZ CONTACT TIP M8 - 0.8MM                 | EACH (10 PER PACK)  |  | 11.90     |
| M8-0.9                     | TAURUS BZ CONTACT TIP M8 - 0.9MM                 | EACH (10 PER PACK)  |  | 11.90     |
| M8-1.00                    | TAURUS BZ CONTACT TIP M8 - 1.0MM                 | EACH (10 PER PACK)  |  | 11.90     |
| M8-1.20                    | TAURUS BZ CONTACT TIP M8 - 1.2MM                 | EACH (10 PER PACK)  |  | 11.90     |
| M8-1.40                    | TAURUS BZ CONTACT TIP M8 - 1.4MM                 | EACH (10 PER PACK)  |  | 11.90     |
| M8-1.60                    | TAURUS BZ CONTACT TIP M8 - 1.6MM                 | EACH (10 PER PACK)  |  | 11.90     |
|                            |                                                  |                     |  |           |
| M8-0.8E                    | iWELD BZ CONTACT TIP M8 - 0.8MM - ECONOMY        | EACH (25 PER PACK)  |  | 6.90      |
| M8-0.9E                    | iWELD BZ CONTACT TIP M8 - 0.9MM - ECONOMY        | EACH (25 PER PACK)  |  | 6.90      |
| M8-1.00E                   | iWELD BZ CONTACT TIP M8 - 1.0MM - ECONOMY        | EACH (25 PER PACK)  |  | 6.90      |
| M8-1.20E                   | iWELD BZ CONTACT TIP M8 - 1.2MM - ECONOMY        | EACH (25 PER PACK)  |  | 6.90      |
| M8-1.40E                   | iWELD BZ CONTACT TIP M8 - 1.4MM - ECONOMY        | EACH (25 PER PACK)  |  | 6.90      |
| M8-1.60E                   | iWELD BZ CONTACT TIP M8 - 1.6MM - ECONOMY        | EACH (25 PER PACK)  |  | 6.90      |
|                            |                                                  |                     |  |           |
| 01.14H45                   | TW CONTACT TIP MOD 4 - 1.2MM                     | EACH (25 PER PACK)  |  | 10.30     |
|                            |                                                  |                     |  |           |
|                            |                                                  |                     |  |           |
| Tip Adaptors               |                                                  |                     |  |           |
| 02.05.15                   | BZ 15 TIP ADAPTOR                                | EACH (10 PER PACK)  |  | 17.20     |
| 02.03.25                   | BZ 25 TIP ADAPTOR M6                             | EACH (10 PER PACK)  |  | 14.00     |
| 02.03.25M8                 | BZ 25 TIP ADAPTOR M8                             | EACH (10 PER PACK)  |  | 15.80     |
| 02.03.36M6                 | BZ 36 TIP ADAPTOR M6                             | EACH (10 PER PACK)  |  | 10.80     |
| 02.03.36M8                 | BZ 36 TIP ADAPTOR M8                             | EACH (10 PER PACK)  |  | 10.80     |
| 02.03.40                   | BZ 40 TIP ADAPTOR                                | EACH (10 PER PACK)  |  | 14.30     |
| 02.05.501C                 | BZ 501 TIP ADAPTOR                               | EACH (10 PER PACK)  |  | 10.80     |
| 02.05.15.01                | BZ 15 SPRING FOR TIP ADAPTOR                     | EACH (10 PER PACK)  |  | 2.20      |
| 02.05.25.01                | BZ 25 SPRING FOR TIP ADAPTOR                     | EACH (10 PER PACK)  |  | 3.60      |
|                            |                                                  |                     |  |           |
| Gas Diffusers              |                                                  |                     |  |           |
| 02.05.36                   | BZ 36 GAS DIFFUSER                               | EACH (10 PER PACK)  |  | 5.30      |
| 02.05.40                   | BZ 40 GAS DIFFUSER                               | EACH (10 PER PACK)  |  | 5.30      |
| 02.05.501                  | BZ 501 GAS DIFFUSER                              | EACH (10 PER PACK)  |  | 5.30      |
|                            |                                                  |                     |  |           |
| 01.54A                     | TW MOD 4 GAS DIFFUSER                            | EACH (5 PER PACK)   |  | 15.80     |
|                            |                                                  |                     |  |           |
| Nozzle/Shrouds             |                                                  |                     |  |           |

|                        |                                                 |                    |  |          |
|------------------------|-------------------------------------------------|--------------------|--|----------|
| 02.02.15CO             | BZ 15 CONICAL NOZZLE                            | EACH (10 PER PACK) |  | 24.30    |
| 02.02.25CO             | BZ 25 CONICAL NOZZLE                            | EACH (10 PER PACK) |  | 35.80    |
| 02.02.36CO             | BZ 36 CONICAL NOZZLE                            | EACH (10 PER PACK) |  | 74.30    |
| 02.02.40CO             | BZ 40 CONICAL NOZZLE                            | EACH (10 PER PACK) |  | 90.00    |
| 02.02.501.16           | BZ 501 CONICAL NOZZLE                           | EACH (10 PER PACK) |  | 65.80    |
|                        |                                                 |                    |  |          |
| 01.24CT62              | TW NOZZLE MOD 4 - 16MM                          | EACH (5 PER PACK)  |  | 64.30    |
| 01.34CT                | TW NOZZLE INSULATOR MOD 4                       | EACH (5 PER PACK)  |  | 91.50    |
|                        |                                                 |                    |  |          |
|                        |                                                 |                    |  |          |
| Liners                 |                                                 |                    |  |          |
| 02.04.R4               | LINER PVC RED 1.0 - 1.2MM WIRE - 4.4M           | EACH               |  | 42.90    |
| 02.04.R5               | LINER PVC RED 1.0 - 1.2MM WIRE - 5.4M           | EACH               |  | 50.00    |
|                        |                                                 |                    |  |          |
| 02.04.P4               | LINER PVC YELLOW 1.2 - 1.6MM WIRE - 4.4M        | EACH               |  | 50.00    |
| 02.04.P6               | LINER PVC YELLOW 1.2 - 1.6MM WIRE - 5.4M        | EACH               |  | 55.80    |
|                        |                                                 |                    |  |          |
| 02.04.AL4M             | TAURUS BLACK CARBON TEFLON LINER 1.6 - 2.5MM-4M | EACH               |  | 157.20   |
| 02.04.AL5M             | TAURUS BLACK CARBON TEFLON LINER 1.6 - 2.5MM-5M | EACH               |  | 178.60   |
| 02.04.ALU-4M           | TAURUS YELLOW TEFLON LINER 4M 1.6MM             | EACH               |  | 157.20   |
|                        |                                                 |                    |  |          |
| 02.21.501.4            | BZ501 OUTER LINER - 4M                          | EACH               |  | 135.80   |
|                        |                                                 |                    |  |          |
| 02.30.06               | LINER NUT                                       | EACH               |  | 14.30    |
|                        |                                                 |                    |  |          |
| Power Cables           |                                                 |                    |  |          |
| 02.24.501.4            | BZ501 POWER CABLE ASSEMBLY X 4M                 | EACH               |  | 628.60   |
|                        |                                                 |                    |  |          |
| Torch Handle & Spares  |                                                 |                    |  |          |
| 02.08ABZ               | BZ TORCH HANDLE                                 | EACH               |  | 135.80   |
| 02.08.40               | BZ40 TORCH HANDLE                               | EACH               |  | 150.00   |
| 02.09ABZ               | BZ TORCH HANDLE - TRIGGER SWITCH GREY           | EACH               |  | 42.90    |
| HANDLE-PRO             | TAURUS PRO BZ/TW/XP MIG TORCH RED               | EACH               |  | 107.20   |
| HANDLE-PRO-SW          | TAURUS PRO BZ/TW/XP MIG TORCH TRIGGER SWITCH    | EACH               |  | 42.90    |
|                        |                                                 |                    |  |          |
|                        |                                                 |                    |  |          |
| 02.30.04               | EURO NUT                                        | EACH               |  | 42.90    |
| 02.30.501.3            | OETIKER CLAMP 8.7MM - 1 EAR WITH INSERT         | EACH               |  | 5.80     |
| 02.30.501.1            | OETIKER CLAMP 9.5MM - 1 EAR WITH INSERT         | EACH               |  | 5.80     |
| 02.30.05               | CONNECTOR - EURO - BZ 15/24/25/26/36            | EACH               |  | 150.00   |
| 02.40.05               | CONNECTOR - EURO - BZ 40                        | EACH               |  | 150.00   |
|                        |                                                 |                    |  |          |
| BG-90610C              | BRASS WIRE GUIDE 150MM                          | EACH               |  | 35.80    |
| ITZ8070                | NIPPLE 6MM                                      | EACH               |  | 12.90    |
| ITZ8089                | NIPPLE 8MM                                      | EACH               |  | 18.60    |
| ITZ8025                | QUICK COUPLE 6MM RED                            | EACH               |  | 114.30   |
| ITZ8035                | QUICK COUPLE 6MM BLUE                           | EACH               |  | 114.30   |
|                        |                                                 |                    |  |          |
| HXL125BK               | HEAT SHRINK - 12.5MM                            | MT                 |  | 8.60     |
|                        |                                                 |                    |  |          |
| MWP001                 | TAURUS MIG WELDING PLIERS                       | EACH               |  | 135.80   |
|                        |                                                 |                    |  |          |
| Tig Torches and Spares |                                                 |                    |  |          |
|                        |                                                 |                    |  |          |
| TIG Torches            |                                                 |                    |  |          |
| WP17V.4M.2P            | 17V X 4M 2 PIECE TORCH - VALVE                  | EACH               |  | 885.80   |
| WP17V.8M.2P            | 17V X 8M 2 PIECE TORCH - VALVE                  | EACH               |  | 1,071.50 |
| WP17SB.4M.2P           | 17 X 4M 2 PIECE TORCH - SWITCH - HF             | EACH               |  | 1,000.00 |
| WP26V.4M.2P            | 26V X 4M 2 PIECE TORCH - VALVE                  | EACH               |  | 1,128.60 |
| WP26V.8M.2P            | 26V X 8M 2 PIECE TORCH - VALVE                  | EACH               |  | 1,785.80 |
| WP26SB.4M.2P           | 26 X 4M 2 PIECE TORCH - SWITCH - HF             | EACH               |  | 1,142.90 |
| WP26SB.8M.2P           | 26 X 8M 2 PIECE TORCH - SWITCH - HF             | EACH               |  | 1,928.60 |
| WP18.8M.USA            | WP18 8MT TORCH USA CONNECTIONS 3 PIECE          | EACH               |  | 1,714.30 |
| WP18.8M.EURO           | WP18 8MT TORCH EURO CONNECTIONS 3 PIECE         | EACH               |  | 1,857.20 |
|                        |                                                 |                    |  |          |
| WP26V.4M.2P-E          | iWELD TIG ECONO TORCH 26V 4MT - VALVE           | EACH               |  | 928.60   |
|                        |                                                 |                    |  |          |
| WP18.8M.EURO-PG        | TAURUS PRO-GRIP TIG TORCH 8M W/C SWITCH EURO    | EACH               |  | 2,571.50 |
| WP26SB.8M.2P-PG        | TAURUS PRO-GRIP TIG TORCH 8M SWITCH HF          | EACH               |  | 3,285.80 |
|                        |                                                 |                    |  |          |
| Torch Bodies           |                                                 |                    |  |          |
| T17                    | T17 TORCH BODY                                  | EACH               |  | 85.80    |
| T17V                   | T17V TORCH BODY - VALVE                         | EACH               |  | 114.30   |
| T18                    | T18 TORCH BODY                                  | EACH               |  | 128.60   |
| T18S                   | TAURUS T18 SWIVEL TORCH HEAD                    | EACH               |  | 428.60   |
| T26                    | T26 TORCH BODY                                  | EACH               |  | 92.90    |
| T26S                   | TAURUS T26 SWIVEL TORCH HEAD                    | EACH               |  | 400.00   |
| T26V                   | T26V TORCH BODY - VALVE                         | EACH               |  | 121.50   |
| T26VF                  | T26VF TORCH BODY - FLEXIBLE + VALVE             | EACH               |  | 135.80   |
| T9                     | T9 TORCH BODY                                   | EACH               |  | 121.50   |
| T9V                    | T9V TORCH BODY - VALVE                          | EACH               |  | 107.20   |
|                        |                                                 |                    |  |          |
| Backcaps               |                                                 |                    |  |          |
| T41V33                 | T9 BACK CAP - SHORT                             | EACH               |  | 7.90     |
| T57Y02                 | T17/18/26 BACK CAP - LONG                       | EACH               |  | 9.30     |
| T57Y04                 | T17/18/26 BACK CAP - SHORT                      | EACH               |  | 7.90     |
|                        |                                                 |                    |  |          |
| Insulators             |                                                 |                    |  |          |
| T18.CG                 | T17/18/26 INSULATOR TORCH HEAD - FRONT          | EACH               |  | 6.50     |
| T18-7                  | T17/18/26 INSULATOR - BACK                      | EACH               |  | 6.50     |
| T54N01                 | T17/18/26 INSULATOR GAS LENS                    | EACH               |  | 11.50    |
| T54N63                 | T17/18/26 INSULATOR GAS LENS - LARGE            | EACH               |  | 17.20    |

|                         |                                            |                    |  |          |
|-------------------------|--------------------------------------------|--------------------|--|----------|
|                         |                                            |                    |  |          |
| Handles                 |                                            |                    |  |          |
| T.H100                  | T9/17 HANDLE - SMOOTH                      | EACH               |  | 10.00    |
| T.H200                  | T18/26 HANDLE - SMOOTH                     | EACH               |  | 14.30    |
|                         |                                            |                    |  |          |
| Switchboots             |                                            |                    |  |          |
| TBW0070                 | T18/26 SWITCH BOOT                         | EACH               |  | 17.20    |
|                         |                                            |                    |  |          |
| Valves                  |                                            |                    |  |          |
| TVS1                    | T18/26 VALVE                               | EACH               |  | 11.50    |
| TVS2                    | T9/17 VALVE                                | EACH               |  | 11.50    |
|                         |                                            |                    |  |          |
| Collets                 |                                            |                    |  |          |
| T10N23                  | COLLET 1.6MM                               | EACH (10 PER PACK) |  | 6.50     |
| T10N24                  | COLLET 2.4MM                               | EACH (10 PER PACK) |  | 6.50     |
| T10N25                  | COLLET 3.2MM                               | EACH (10 PER PACK) |  | 6.50     |
| T13N22                  | COLLET 1.6MM - T9                          | EACH (10 PER PACK) |  | 5.80     |
| T13N23                  | COLLET 2.4MM - T9                          | EACH (10 PER PACK) |  | 5.80     |
|                         |                                            |                    |  |          |
| Collet Bodies           |                                            |                    |  |          |
| T10N28                  | COLLET BODY 3.2MM                          | EACH (10 PER PACK) |  | 14.30    |
| T10N31                  | COLLET BODY 1.6MM                          | EACH (10 PER PACK) |  | 14.30    |
| T10N32                  | COLLET BODY 2.4MM                          | EACH (10 PER PACK) |  | 14.30    |
| T13N27                  | COLLET BODY 1.6MM - T9                     | EACH (10 PER PACK) |  | 12.90    |
| T13N28                  | COLLET BODY 2.4MM - T9                     | EACH (10 PER PACK) |  | 12.90    |
| T45V26                  | COLLET BODY GAS LENS 2.4MM                 | EACH (10 PER PACK) |  | 60.00    |
| T45V27                  | COLLET BODY GAS LENS 3.2MM                 | EACH (10 PER PACK) |  | 60.00    |
| T45V64                  | COLLET BODY GAS LENS 2.4MM - LARGE         | EACH (10 PER PACK) |  | 70.00    |
| 17GL332                 | COLLET BODY GAS LENS STUBBY 2.4MM          | EACH (10 PER PACK) |  | 68.60    |
|                         |                                            |                    |  |          |
| Ceramic/Alumina Nozzles |                                            |                    |  |          |
| T10N45                  | CERAMIC NOZZLE NO 10                       | EACH (10 PER BOX)  |  | 7.20     |
| T10N46                  | CERAMIC NOZZLE NO 8                        | EACH (10 PER BOX)  |  | 6.20     |
| T10N47                  | CERAMIC NOZZLE NO 7                        | EACH (10 PER BOX)  |  | 6.20     |
| T10N48                  | CERAMIC NOZZLE NO 6                        | EACH (10 PER BOX)  |  | 6.20     |
| T10N49                  | CERAMIC NOZZLE NO 5                        | EACH (10 PER BOX)  |  | 6.20     |
| T10N50                  | CERAMIC NOZZLE NO 4                        | EACH (10 PER BOX)  |  | 6.20     |
| T10N49L                 | CERAMIC NOZZLE NO 5 - LONG                 | EACH (10 PER BOX)  |  | 14.30    |
| T10N48L                 | CERAMIC NOZZLE NO 6 - LONG                 | EACH (10 PER BOX)  |  | 14.30    |
| T54N14                  | CERAMIC NOZZLE - GAS LENS NO 8             | EACH (10 PER BOX)  |  | 9.60     |
| T54N15                  | CERAMIC NOZZLE - GAS LENS NO 7             | EACH (10 PER BOX)  |  | 9.60     |
| T54N16                  | CERAMIC NOZZLE - GAS LENS NO 6             | EACH (10 PER BOX)  |  | 9.60     |
| T54N17                  | CERAMIC NOZZLE - GAS LENS NO 5             | EACH (10 PER BOX)  |  | 9.60     |
| T54N18                  | CERAMIC NOZZLE - GAS LENS NO 4             | EACH (10 PER BOX)  |  | 9.60     |
| T54N16L                 | CERAMIC NOZZLE - GAS LENS NO 6 - LONG      | EACH (10 PER BOX)  |  | 17.20    |
| T54N17L                 | CERAMIC NOZZLE - GAS LENS NO 5 - LONG      | EACH (10 PER BOX)  |  | 17.20    |
| T53N87                  | CERAMIC NOZZLE - GAS LENS LARGE NO 12      | EACH (10 PER BOX)  |  | 17.20    |
| T53N88                  | CERAMIC NOZZLE - GAS LENS LARGE NO 10      | EACH (10 PER BOX)  |  | 17.20    |
| T13N08                  | CERAMIC NOZZLE NO 4 - T9                   | EACH (10 PER BOX)  |  | 4.30     |
| T13N09                  | CERAMIC NOZZLE NO 5 - T9                   | EACH (10 PER BOX)  |  | 5.00     |
| T13N10                  | CERAMIC NOZZLE NO 6 - T9                   | EACH (10 PER BOX)  |  | 5.00     |
| T13N11                  | CERAMIC NOZZLE NO 7 - T9                   | EACH (10 PER BOX)  |  | 5.00     |
| T13N12                  | CERAMIC NOZZLE NO 8 - T9                   | EACH (10 PER BOX)  |  | 5.00     |
|                         |                                            |                    |  |          |
| Braided Hoses           |                                            |                    |  |          |
| VAGH38NB                | HOSE BRAIDED GAS BLACK 3mm ID              | PER METRE          |  | 16.50    |
| VAGH58NB                | HOSE BRAIDED GAS BLACK 5mm ID              | PER METRE          |  | 19.30    |
| VAGH58B                 | HOSE BRAIDED GAS BLUE 5mm ID               | PER METRE          |  | 19.30    |
| VAGH58R                 | HOSE BRAIDED GAS RED 5mm ID                | PER METRE          |  | 19.30    |
|                         |                                            |                    |  |          |
| Outer Sheathing         |                                            |                    |  |          |
| VAGD2123                | OUTER SHEATHING RUBBER (T17)               | PER METRE          |  | 14.00    |
| VAGD2628                | OUTER SHEATHING RUBBER (T26)               | PER METRE          |  | 15.00    |
|                         |                                            |                    |  |          |
| IGG0703                 | NYLON COVER WITH ZIPPER (8M)               | EACH               |  | 300.00   |
|                         |                                            |                    |  |          |
| Accessories             |                                            |                    |  |          |
| T45V11                  | LEFT HAND ADAPTOR BLOCK FOR T18            | EACH               |  | 92.90    |
| TK-01                   | LEVER SWITCH FOR TIG TORCHES               | EACH               |  | 35.80    |
| TK-02                   | BUTTON SWITCH FOR TIG TORCHES              | EACH               |  | 68.60    |
| TGR172PCS               | T17 2 PIECE FITTING                        | EACH (10 PER PACK) |  | 57.20    |
| TGR262PCS               | T26 2 PIECE FITTING                        | EACH (10 PER PACK) |  | 78.60    |
| TGR26YP                 | Y PIECE FITTING CABLE CONNECTOR KIT        | EACH (10 PER PACK) |  | 85.80    |
|                         |                                            |                    |  |          |
| TIG Tungsten Electrodes |                                            |                    |  |          |
| TEL.16.TH               | TAURUS THORIATED TUNGSTEN-1.6MM-RED        | EACH (10 PER BOX)  |  | 42.90    |
| TEL.24.TH               | TAURUS THORIATED TUNGSTEN-2.4MM-RED        | EACH (10 PER BOX)  |  | 85.80    |
| TEL.32.TH               | TAURUS THORIATED TUNGSTEN-3.2MM-RED        | EACH (10 PER BOX)  |  | 157.20   |
| TEL.16.ZC               | TAURUS ZIRCONIATED TUNGSTEN-1.6MM-WHITE    | EACH (10 PER BOX)  |  | 42.90    |
| TEL.24.ZC               | TAURUS ZIRCONIATED TUNGSTEN-2.4MM-WHITE    | EACH (10 PER BOX)  |  | 85.80    |
| TEL.32.ZC               | TAURUS ZIRCONIATED TUNGSTEN-3.2MM-WHITE    | EACH (10 PER BOX)  |  | 157.20   |
| TEL.24.LA               | TAURUS LANTHANATED TUNGSTEN-2.4MM-GOLD     | EACH (10 PER BOX)  |  | 85.80    |
| TEL.32.LA               | TAURUS LANTHANATED TUNGSTEN-3.2MM-GOLD     | EACH (10 PER BOX)  |  | 40.00    |
| TEL.24.LB               | TAURUS LANTHANATED TUNGSTEN-2.4MM-BLUE     | EACH (10 PER BOX)  |  | 85.80    |
| TEL.24.WR               | TAURUS RARE EARTH TUNGSTEN-2.4MM-TURQUOISE | EACH (10 PER BOX)  |  | 29.30    |
|                         |                                            |                    |  |          |
| TIG Tungsten Grinders   |                                            |                    |  |          |
|                         |                                            |                    |  |          |
| TG001                   | TAURUS TUNGSTEN GRINDER - CORDLESS         | EACH               |  | 1,928.60 |
|                         |                                            |                    |  |          |

## Safety and Protective wear

| Auto Welding Helmets                   |                                                        |                    |  |          |
|----------------------------------------|--------------------------------------------------------|--------------------|--|----------|
| LY100FS                                | TAURUS AUTO HELMET NON ADJUSTABLE                      | EACH               |  | 171.43   |
| LY200HS                                | TAURUS BLACK SOLAR HELMET ADJ/GRIND 1/15000S           | EACH               |  | 271.50   |
| LY600A-RSA                             | TAURUS RSA FLAG SOLAR HELMET ADJ/GRIND 1/25000S        | EACH               |  | 428.60   |
| LY600A                                 | TAURUS RED SOLAR HELMET ADJ/GRIND 1/25000S             | EACH               |  | 571.50   |
| LY500GP                                | TAURUS METAL FIRE SOLAR HELMET ADJ/GRIND - TRUE VISION | EACH               |  | 642.90   |
|                                        |                                                        |                    |  |          |
| Lift Front Welding Helmet              |                                                        |                    |  |          |
| HSTD03                                 | TAURUS FLIP FRONT HELMET - PREMIUM                     | EACH               |  | 64.30    |
| HSTD04                                 | TAURUS FLIP FRONT HELMET PREMIUM RED                   | EACH               |  | 74.30    |
|                                        |                                                        |                    |  |          |
| SFT230                                 | TAURUS LEATHER FLIP FRONT WELDING HELMET - MONKEY FACE | EACH               |  | 264.30   |
|                                        |                                                        |                    |  |          |
| Laser Specs and Helmets                |                                                        |                    |  |          |
| SS-LASER                               | TAURUS FIBER LASER WELDING GLASSES -SPECTACLES         | EACH               |  | 1,435.80 |
| LY900LW                                | TAURUS FIBER LASER WELDING HELMET                      | EACH               |  | 2,035.80 |
|                                        |                                                        |                    |  |          |
| Skull Caps/Hoods                       |                                                        |                    |  |          |
| HS30                                   | TAURUS SKULL CAPS                                      | EACH               |  | 27.20    |
|                                        |                                                        |                    |  |          |
| SFT231                                 | TAURUS LEATHER WELDING HOOD                            | EACH               |  | 228.60   |
|                                        |                                                        |                    |  |          |
| Lenses For Solar Helmets               |                                                        |                    |  |          |
| 4700B                                  | OUTER LENS PLASTIC- 120MM X 109MM                      | EACH               |  | 17.20    |
| 4702B                                  | INNER LENS PLASTIC- 108MM X 51MM                       | EACH               |  | 11.50    |
|                                        |                                                        |                    |  |          |
| Goggles                                |                                                        |                    |  |          |
| FFWGOGGLE                              | FLIPFRONT WELDING GOGGLES - ECONOMY                    | EACH               |  | 23.60    |
|                                        |                                                        |                    |  | -        |
| Lenses For Standard Flip Front Helmets |                                                        |                    |  |          |
| WF-E20051-8                            | SHADED LENS-FLIP FRONT HELMET-SHADE 8                  | EACH (100 PER BOX) |  | 3.90     |
| WF-E20051-9                            | SHADED LENS-FLIP FRONT HELMET-SHADE 9                  | EACH (100 PER BOX) |  | 3.90     |
| WF-E20051-10                           | SHADED LENS-FLIP FRONT HELMET-SHADE 10                 | EACH (100 PER BOX) |  | 3.90     |
| WF-E20051-11                           | SHADED LENS-FLIP FRONT HELMET-SHADE 11                 | EACH (100 PER BOX) |  | 3.90     |
| WF-E20051-12                           | SHADED LENS-FLIP FRONT HELMET-SHADE 12                 | EACH (100 PER BOX) |  | 3.90     |
|                                        |                                                        |                    |  |          |
| CLO1                                   | CLEAR LENS-FLIP FRONT HELMET-GLASS                     | EACH (100 PER BOX) |  | 2.20     |
|                                        |                                                        |                    |  |          |
| CML-1.5-PC                             | TAURUS CLEAR MAGNIFYING LENS - 1.5X                    | EACH               |  | 45.80    |
| CML-2.0-PC                             | TAURUS CLEAR MAGNIFYING LENS - 2.0X                    | EACH               |  | 45.80    |
| CML-2.5-PC                             | TAURUS CLEAR MAGNIFYING LENS - 2.5X                    | EACH               |  | 45.80    |
|                                        |                                                        |                    |  |          |
|                                        |                                                        |                    |  |          |
| Safety Specs                           |                                                        |                    |  |          |
| SS-SPORT-AMBER                         | TAURUS SPORT SAFETY SPECS - AMBER                      | EACH (12 PER BOX)  |  | 16.50    |
| SS-SPORT-CLEAR                         | TAURUS SPORT SAFETY SPECS - CLEAR                      | EACH (12 PER BOX)  |  | 16.50    |
| SS-SPORT-GREEN                         | TAURUS SPORT SAFETY SPECS - GREEN                      | EACH (12 PER BOX)  |  | 16.50    |
| SS-SPORT-GREY                          | TAURUS SPORT SAFETY SPECS - GREY                       | EACH (12 PER BOX)  |  | 16.50    |
|                                        |                                                        |                    |  | -        |
| SS-CLEAR                               | TAURUS PRO SAFETY SPECS - CLEAR                        | EACH (12 PER BOX)  |  | 25.00    |
| SS-GREEN                               | TAURUS PRO SAFETY SPECS - GREEN                        | EACH (12 PER BOX)  |  | 16.50    |
|                                        |                                                        |                    |  | -        |
| SS-EURO-BLACK                          | TAURUS EURO STYLE SAFETY SPECS - BLACK                 | EACH (12 PER BOX)  |  | 16.50    |
| SS-EURO-GREEN                          | TAURUS EURO STYLE SAFETY SPECS - GREEN                 | EACH (12 PER BOX)  |  | 17.20    |
| SS-EURO-CLEAR                          | TAURUS EURO STYLE SAFETY SPECS - CLEAR                 | EACH (12 PER BOX)  |  | 17.20    |
|                                        |                                                        |                    |  |          |
| Face Shields                           |                                                        |                    |  |          |
| SFT410                                 | TAURUS FACE SHIELD                                     | EACH               |  | 65.80    |
| SFT411                                 | TAURUS FACE SHIELD - REPLACEMENT VISOR                 | EACH               |  | 25.80    |
|                                        |                                                        |                    |  |          |
| Ear Protection                         |                                                        |                    |  |          |
| EAR-PLUG                               | TAURUS REUSABLE EAR PLUGS                              | EACH (50 PER BOX)  |  | 3.80     |
| EAR-MUFF-IND                           | TAURUS RED EAR MUFF                                    | EACH               |  | 34.30    |
|                                        |                                                        |                    |  |          |
| Welding Curtains                       |                                                        |                    |  |          |
| WCB001                                 | WELDING CURTAIN 2MT X 2MT                              | EACH               |  | 207.20   |
| WCB002                                 | WELDING CURTAIN 3MT X 2MT                              | EACH               |  | 314.30   |
|                                        |                                                        |                    |  |          |
| Welding Blankets                       |                                                        |                    |  |          |
| GFB001                                 | TAURUS WHITE FIBRE-GLASS FIRE BLANKET 2M X 2M          | EACH               |  | 357.20   |
| GFB002                                 | TAURUS WHITE FIBRE-GLASS FIRE BLANKET 2M X 3M          | EACH               |  | 500.00   |
| GFB003                                 | TAURUS WHITE FIBRE-GLASS FIRE BLANKET 3M X 3M          | EACH               |  | 785.80   |
|                                        |                                                        |                    |  |          |
| Welding Gloves                         |                                                        |                    |  |          |
| SFT010-HD                              | TAURUS GREEN LEATHER GLOVES-50MM - HEAVY DUTY          | PER PAIR           |  | 57.20    |
| SFT011-HD                              | TAURUS GREEN LEATHER GLOVES-200MM - HEAVY DUTY         | PER PAIR           |  | 78.60    |
| SFT012-HD                              | TAURUS GREEN LEATHER GLOVE400MM - HEAVY DUTY           | PER PAIR           |  | 121.50   |
|                                        |                                                        |                    |  |          |
| SFT010                                 | TAURUS GREEN LEATHER GLOVES-50MM - ECONOMY             | PER PAIR           |  | 40.00    |
| SFT011                                 | TAURUS GREEN LEATHER GLOVES-200MM - ECONOMY            | PER PAIR           |  | 52.90    |
|                                        |                                                        |                    |  |          |
| SFT070                                 | TAURUS CANDY STRIPE GLOVES-50MM                        | PER PAIR           |  | 27.20    |
|                                        |                                                        |                    |  |          |
| SFT020                                 | TAURUS BLUE GLOVES-YELLOW-200MM - HEAVY DUTY           | PER PAIR           |  | 94.30    |
|                                        |                                                        |                    |  |          |
| SFT031                                 | TAURUS RED HEAT GLOVES-200MM                           | PER PAIR           |  | 94.30    |
|                                        |                                                        |                    |  |          |
| SFT040                                 | TAURUS TIG GLOVES-GOAT SKIN -50MM                      | PER PAIR           |  | 51.50    |
| SFT040-12                              | TAURUS TIG GLOVES-GOAT SKIN -50MM - SIZE 12            | PER PAIR           |  | 68.60    |
|                                        |                                                        |                    |  |          |
| SFT050                                 | TAURUS EXTENDED TIG GLOVE - 150MM                      | PER PAIR           |  | 111.50   |

|                                          |                                          |                    |  |          |
|------------------------------------------|------------------------------------------|--------------------|--|----------|
|                                          |                                          |                    |  |          |
| General Gloves                           |                                          |                    |  |          |
| GLOVE001                                 | TAURUS CRAYFISH GLOVE                    | PER PAIR           |  | 21.50    |
| GLOVE004                                 | TAURUS YELLOW LATEX - KNITTED CUFF 85G   | PER PAIR           |  | 31.50    |
| GLOVE006                                 | TAURUS BLUE NITRILE -SAFETY CUFF -85G    | PER PAIR           |  | 31.43    |
| GLOVE007                                 | TAURUS PVC RED GLOVE - KNITTED WRIST     | PER PAIR           |  | 24.00    |
| GLOVE008                                 | TAURUS PVC RED GLOVE OPEN CUFF 27CM      | PER PAIR           |  | 29.30    |
| GLOVE009                                 | TAURUS PVC RED GLOVE OPEN CUFF 35CM      | PER PAIR           |  | 43.60    |
| GLOVE010-10                              | TAURUS CUT RESISTANT GLOVE - LEVEL 5     | PER PAIR           |  | 63.60    |
| GLOVE012                                 | TAURUS SP FLEX GLOVE SMOOTH -NITRILE     | PER PAIR           |  | 12.20    |
| GLOVE013-10                              | TAURUS BLACK PU COATED FLEX GLOVE        | PER PAIR           |  | 12.50    |
| GLOVE025                                 | TAURUS PVC RED GLOVE 35CM ROUGH PALM     | PER PAIR           |  | 28.60    |
| Aprons, Spats, Yoke, Jackets and Sleeves |                                          |                    |  |          |
| SFT180                                   | TAURUS GOLD APRON 120 X 60               | EACH               |  | 278.60   |
| SFT140                                   | TAURUS CL APRON 90 X 60                  | EACH               |  | 142.90   |
| SFT141                                   | TAURUS CL APRON 120 X 60                 | EACH               |  | 178.60   |
| SFT200                                   | TAURUS GOLD LEATHER SLEEVE               | PER PAIR           |  | 150.00   |
| SFT160                                   | TAURUS CL SPATS                          | EACH               |  | 57.20    |
| SFT152                                   | TAURUS CL YOKE XXL                       | EACH               |  | 264.30   |
| SFT153                                   | TAURUS CL YOKE XXXL                      | EACH               |  | 264.30   |
| SFT210                                   | TAURUS GOLD WELDERS JACKET- L            | EACH               |  | 835.80   |
| SFT211                                   | TAURUS GOLD WELDERS JACKET- XL           | EACH               |  | 835.80   |
| SFT212                                   | TAURUS GOLD WELDERS JACKET- XXL          | EACH               |  | 835.80   |
| Dust Masks                               |                                          |                    |  |          |
| SFT400                                   | MASTER DUST MASK FFP1                    | EACH (20 PER BOX)  |  | 5.80     |
| SFT402                                   | MASTER DUST MASK FFP2 - WITH VALVE       | EACH (20 PER BOX)  |  | 8.60     |
| Reflective Vests                         |                                          |                    |  |          |
| SFT530-2                                 | LIME REFLECTIVE VEST - ZIP/ID POCK - M   | EACH               |  | 35.80    |
| SFT530-3                                 | LIME REFLECTIVE VEST - ZIP/ID POCK - L   | EACH               |  | 35.80    |
| SFT530-4                                 | LIME REFLECTIVE VEST - ZIP/ID POCK - XL  | EACH               |  | 35.80    |
| SFT531-2                                 | ORANGE REFLECTIVE VEST -ZIP/ID POCK - M  | EACH               |  | 35.80    |
| SFT531-3                                 | ORANGE REFLECTIVE VEST -ZIP/ID POCK - L  | EACH               |  | 35.80    |
| SFT531-4                                 | ORANGE REFLECTIVE VEST -ZIP/ID POCK - XL | EACH               |  | 35.80    |
| Safety Boots                             |                                          |                    |  |          |
| SFT564                                   | MASTER SAFETY BOOT - SIZE UK8            | EACH               |  | 278.60   |
| SFT565                                   | MASTER SAFETY BOOT - SIZE UK9            | EACH               |  | 278.60   |
| SFT566                                   | MASTER SAFETY BOOT - SIZE UK10           | EACH               |  | 278.60   |
| Powercut Plasma Torches and Spares       |                                          |                    |  |          |
| Plasma Torches                           |                                          |                    |  |          |
| PA1400                                   | A81 TORCH x 6M                           | EACH               |  | 2,214.30 |
| PA1454                                   | A101 TORCH X 6M                          | EACH               |  | 3,000.00 |
| PA1500                                   | A141 TORCH X 6M                          | EACH               |  | 3,357.20 |
| PT31-TORCH                               | PT31 PLASMA TORCH COMPLETE - 5M          | EACH               |  | 714.30   |
| P60-5M                                   | P60 PLASMA CUTTING TORCH - 5M            | EACH               |  | 1,000.00 |
| P80-5M                                   | P80 PLASMA CUTTING TORCH - 5M            | EACH               |  | 1,357.20 |
| 09637/WTL                                | PT60 TORCH X 6M                          | EACH               |  | 3,428.60 |
| Torch Heads                              |                                          |                    |  |          |
| 6800                                     | A81 TORCH HEAD WITH HANDLE               | EACH               |  | 1,357.20 |
| 6000                                     | A101 TORCH HEAD WITH HANDLE              | EACH               |  | 1,414.30 |
| FB/PF0145                                | A101 TORCH HEAD WITHOUT HANDLE           | EACH               |  | 1,285.80 |
| FB/PF0155                                | A141 TORCH HEAD WITHOUT HANDLE           | EACH               |  | 1,357.20 |
| 9603                                     | PT60 HAND TORCH HEAD                     | EACH               |  | 1,457.20 |
| Plasma Electrode                         |                                          |                    |  |          |
| 52580                                    | ELECTRODE A81                            | EACH (10 PER PACK) |  | 25.80    |
| 52581                                    | ELECTRODE A81 - LONG                     | EACH (10 PER PACK) |  | 37.20    |
| 52535                                    | ELECTRODE A101/141                       | EACH (10 PER PACK) |  | 24.30    |
| P60-01                                   | ELECTRODE P60                            | EACH (10 PER PACK) |  | 21.50    |
| P80-01                                   | ELECTRODE P80                            | EACH (10 PER PACK) |  | 22.90    |
| 18205                                    | ELECTRODE PT31                           | EACH (10 PER PACK) |  | 17.20    |
| 18205L                                   | ELECTRODE PT31 LONG                      | EACH (10 PER PACK) |  | 17.90    |
| 52582                                    | ELECTRODE PT60                           | EACH (10 PER PACK) |  | 38.60    |

|                         |                                            |                                  |  |        |
|-------------------------|--------------------------------------------|----------------------------------|--|--------|
| 52556                   | ELECTRODE PT100                            | EACH (10 PER PACK)               |  | 32.90  |
|                         |                                            |                                  |  |        |
| Plasma Tips             |                                            |                                  |  |        |
| 51172.12                | A81 TIP 1.2MM                              | EACH (10 PER PACK)               |  | 17.20  |
| 51173                   | A81 EXTENDED TIP 1.2MM                     | EACH (10 PER PACK)               |  | 27.20  |
| 51155                   | A101-A141 TIP 1.4MM                        | EACH (10 PER PACK)               |  | 22.90  |
| 51159                   | A141 EXTENDED TIP                          | EACH (10 PER PACK)               |  | 31.50  |
|                         |                                            |                                  |  |        |
| P60-02                  | P60 TIP/NOZZLE                             | EACH (10 PER PACK)               |  | 20.00  |
| P80-02                  | P80 TIP/NOZZLE 1.5                         | EACH (10 PER PACK)               |  | 22.90  |
|                         |                                            |                                  |  |        |
| 18866                   | PT31 TIP 1.0MM                             | EACH (10 PER PACK)               |  | 8.60   |
| 18866L                  | PT31 TIP 1.0MM LONG                        | EACH (10 PER PACK)               |  | 8.60   |
| 51312P.09               | PT60 TIP 0.9MM                             | EACH (10 PER PACK)               |  | 41.50  |
| 51313P.11               | PT60 TIP 1.1MM                             | EACH (10 PER PACK)               |  | 41.50  |
| 51246.12                | PT100 TIP 1.2MM                            | EACH (10 PER PACK)               |  | 28.60  |
| 51248.15                | PT100 TIP 1.5MM                            | EACH                             |  | 35.71  |
|                         |                                            |                                  |  |        |
| Nozzles/Support Springs |                                            |                                  |  |        |
| 60375                   | A140 NOZZLE                                | EACH                             |  | 357.20 |
| 60376                   | A101 NOZZLE                                | EACH                             |  | 342.90 |
| 51910                   | A101-A141 SUPPORT SPRING                   | EACH                             |  | 21.50  |
| 60384                   | A81 NOZZLE                                 | EACH                             |  | 192.90 |
| 51902                   | A81 STAND OFF GUIDE                        | EACH                             |  | 18.60  |
|                         |                                            |                                  |  |        |
| P60-03                  | P60 SHIELD CUP                             | EACH                             |  | 15.80  |
| P60-04                  | P60 SPACER GUIDE                           | EACH                             |  | 20.00  |
| P80-03                  | P80 RETAINING CAP                          | EACH                             |  | 22.90  |
|                         |                                            |                                  |  |        |
| 18204                   | PT31 SHIELD CUP                            | EACH                             |  | 8.60   |
| 60389                   | PT60 NOZZLE                                | EACH                             |  | 121.50 |
| 60501                   | RETAINING CAP PT100                        | EACH                             |  | 378.60 |
| 60432                   | DOUBLE SPACER CONTACT CUTTING PT60         | EACH                             |  | 114.30 |
| 60444                   | DOUBLE SPACER CONTACT CUTTING PT100        | EACH                             |  | 128.60 |
|                         |                                            |                                  |  |        |
| Swirl Ring/ Diffusers   |                                            |                                  |  |        |
| 60029                   | A81 SWIRL RING                             | EACH                             |  | 135.80 |
| 60030                   | A101-A141 SWIRL RING                       | EACH                             |  | 164.30 |
|                         |                                            |                                  |  |        |
| 18785                   | PT31 SWIRL RING                            | EACH                             |  | 10.00  |
| 60028                   | PT60 SWIRL RING                            | EACH                             |  | 164.30 |
| 60026                   | PT100 SWIRL RING                           | EACH                             |  | 185.80 |
|                         |                                            |                                  |  |        |
|                         |                                            |                                  |  |        |
| Powercut Torch Coolant  |                                            |                                  |  |        |
| PCTC001                 | POWERCUT TORCH COOLANT 5LT                 | EACH                             |  | 292.90 |
|                         |                                            |                                  |  |        |
|                         |                                            |                                  |  |        |
| iCut Abrasives          |                                            |                                  |  |        |
|                         |                                            |                                  |  |        |
| iCut Cutting Discs      |                                            |                                  |  |        |
| IC-C-115-1              | iCUT STEEL CUTTING DISC 115 X 1.0 X 22.2MM | EACH (10 PER PACK) (100 PER BOX) |  | 6.90   |
| IC-C-115-2.5            | iCUT STEEL CUTTING DISC 115 X 2.5 X 22.2MM | EACH (5 PER PACK) (50 PER BOX)   |  | 9.60   |
| IC-C-230-3              | iCUT STEEL CUTTING DISC 230X3.0X22.2MM     | EACH (5 PER PACK) (50 PER BOX)   |  | 28.30  |
|                         |                                            |                                  |  |        |
| iCut Grinding Discs     |                                            |                                  |  |        |
| IC-G-115-6              | iCUT STEEL GRINDING DISC 115X6.0X22.2MM    | EACH (10 PER PACK)               |  | 31.90  |
| IC-G-230-6              | iCUT STEEL GRINDING DISC 230X6.0X22.2MM    | EACH (10 PER PACK)               |  | 53.20  |
|                         |                                            |                                  |  |        |
| iCut Flap Discs         |                                            |                                  |  |        |
| IC-FZ-115-60            | iCUT Z/A FLAP DISC 115 X 22.2MM #60        | EACH (5 PER PACK) (25 PER BOX)   |  | 19.30  |
| IC-FZ-115-80            | iCUT Z/A FLAP DISC 115 X 22.2MM #80        | EACH (5 PER PACK) (10 PER BOX)   |  | 19.30  |
|                         |                                            |                                  |  |        |